



Contribution ID: 60

Type: **Session Talk**

## Probing holographic model of a rotating $\mathcal{N} = 4$ SYM quark-gluon plasma

*Thursday, 13 October 2022 14:55 (25 minutes)*

In this talk I'll discuss a holographic probes of a rotating  $\mathcal{N} = 4$  SYM quark-gluon plasma. Following the holographic duality a 4d rotating strongly-coupled QGP can be described by a rotating Kerr-AdS<sub>5</sub> black hole. The Kerr-AdS<sub>5</sub> black hole has a conformal boundary  $R \times S^3$ , on which the  $N = 4$  SYM theory (a thermal ensemble) “lives”. Moreover, the Hawking temperature corresponds to the temperature of the dual theory. We study rectangular Wilson loops in  $N = 4$  SYM on  $R \times S^3$  at finite temperature using the holographic dictionary. According to this we consider an open string in Kerr-AdS<sub>5</sub> hanging down from the conformal boundary to the horizon, so the string endpoints correspond to quarks. We calculate the quark-antiquark potential from the Nambu-Goto action of the string. We show that the potential includes the Coulomb and linear parts, which indicates about a confinement/deconfinement phase transition. We also calculate the jet-quenching parameter of a fast patron in the rotating  $\mathcal{N} = 4$  SYM QGP and analyze its dependence on the rotation. We show that the value of the jet-quenching parameter for the rotating case can be smaller comparing to the case of the planar AdS black hole.

**Primary author:** GOLUBTSOVA, Anastasia (Bogoliubov Laboratory of Theoretical Physics, Joint Institute for Nuclear Research)

**Presenter:** GOLUBTSOVA, Anastasia (Bogoliubov Laboratory of Theoretical Physics, Joint Institute for Nuclear Research)

**Session Classification:** Section B

**Track Classification:** Section A: Mathematical methods in QFT