



Contribution ID: 86

Type: not specified

## NEW METHODS FOR CALCULATION OF COMPLICATED FUNCTIONAL INTEGRALS

*Monday, 3 July 2017 17:00 (30 minutes)*

We present an elegant method for calculation of complicated integrals by using the Mellin representation. In this paper, the passage to a complex plane plays a vital role in obtaining universal formulas for taking enormous number of integrals from sign variables functions.

### Short biography note

Purevkhuu Munkhbaatar.

I am 23 years old guy, currently working in Dubna, Moscow. I was born in Zavkhan, Mongolia. I graduated from Mongolian State University of Education, with bachelor degrees in Mathematics and Physics education in 2015. After graduation I started working at Institute of Physics and Technology in Mongolia, where I am working as a researcher. In april 2017, I graduated from Ulaanbaatar State University, with master degrees in Applied Physics.

**Primary author:** Mr KHAVTGAI, Namsrai (Ulaanbaatar, Mongolia)

**Co-authors:** Ms BATGEREL, Munkhzaya (Ulaanbaatar, Mongolia); Mr MUNKHBAATAR, Purevkhuu (Ulaanbaatar, Mongolia)

**Presenter:** Mr MUNKHBAATAR, Purevkhuu (Ulaanbaatar, Mongolia)

**Session Classification:** Poster Session