



## Data set

- PHQMD simulation at 8.8 GeV ( 199k events ) + BOX generator ( 10  $d$ , 10  $t$ , 10  $He^3$  and 10  $He^4$  per event )
- Primary Particles ( via GEANT )
- $N_{\text{hits}} \geq 20$
- $| \eta | < 1.3$





# $dE/dx$ VS $p$







# $dE/dx$ VS $p$







# He<sup>4</sup>



# He<sup>3</sup>




# Tritons




# Tritons





$0.95 < p < 1.00 \text{ GeV}/c$







$1.00 < p < 1.05 \text{ GeV}/c$







# Deuterons







# (anti)protons




# kaons




# pions




# $m^2$ (deuterons)




# $m^2$ (tritons)




# $m^2$ ( $\text{He}^3$ )



# $m^2$ ( $\text{He}^4$ )




# $m^2$ -projection ( $\text{He}^4$ )



# $m^2$ -resolution (hadrons)

STAR

DOI: 10.1103/PhysRevC.96.044904



The  $m^2$  distributions for positively charged hadrons used to extract raw yields for pions, kaons, and protons in  $|y| < 0.1$  for Au+Au collisions at 7.7 GeV at three different  $p_T$  ranges. The curves are predicted  $m^2$  fits representing contributions from pions (dashed-red), kaons (dashed-green), and protons (dashed-blue).

MPD

