



SPD experimental setup


Alexander Korzenev, JINR/LHEP

TB meeting
May 27, 2021

Outline

- Experiment. hall & detector layout [slide 2-5](#)
- Magnetic system [slide 6-8](#)
- Vertex Detector (VD) [slide 9-11](#)
- Straw Tracker (ST) [slide 12-15](#)
- Time-of-Flight (ToF) [slide 16-18](#)
- Aerogel [slide 19](#)
- Summary for PID detectors [slide 20](#)
- Electromagnetic calorimeter (ECal) [slide 22-24](#)
- Range System (RS) [slide 25-29](#)
- Polarimetry and luminosity control [slide 30](#)
- Beam-Beam counter [slide 31](#)
- Zero Degree Calorimeter (ZDC) [slide 32](#)
- Conclusions

Aerial view to NICA




SPD experimental hall





- Infrastructure development is ongoing: modernization of power supply system, upgrade of plants for liquid helium and nitrogen production, construction of new buildings
- Plans for the SPD hall for this year: complete work on the interior, make crane in operation

Layout of SPD



Size of the detector is limited by its weight <1200 ton






Assembling position



- Primary assembling of detectors can be done in the unloading zone
- Overhead traveling crane with a maximum lifting capacity of 80 ton
- Assembling can proceed while MPD takes data
- Beam-line will be isolated from the assembling by concrete blocks (thickness 2.3 m)

Beam position


- Rail system to transport the setup to the working position
- During data-taking the experimental site will be isolated from the unloading zone
- Unloading zone can be used for electronic barracks, counting house and so on



Superconductive magnetic system of SPD



SC cable used for magnets of Nuclotron



- 6 isolated superconductive coils
 - Minimization of total amount of material
- Every coil consists of 60 turns of NbTi/CuNi cable with the 10 kA current
 - Total current: $60 \times 10 \text{ kA} = 600 \text{ kA} \cdot \text{turn}$
- The same cable as used in Nuclotron magnets: hollow superconductor with the helium flows inside ($\sim 4 \text{ K}$)
- Similar cryogenic system as the one of Nuclotron

Production site for superconductive magnets of NICA





- Vast experience in production of SC magnets
 - 460 magnets to produce for NICA (buster + collider). ~75% has been completed.
 - Production of magnets for SIS100
 - Full chain of cryogenic tests
- Prototype production for SPD can start at the end of next year
 - Production for NICA will be finished next summer ⇒ 1/2 of stand is unoccupied
- Option with external companies for magnet production is also considered


SC coil location with respect to ECal

CDR version / A.Kovalenko
Coil cross-section is 20 cm x 20 cm

Option for discussion / D.Nikiforov
Coil cross-section is 40 cm x 20 cm




Vertex Detector (VD)




CDR version (end of 2020)

5xDSSD




(May 2021)

2xDSSD+3xMAPS




Vertex Detector (VD)







- Inner tracking system of SPD: barrel + endcaps
- Reconstruction of D meson decay vertices
- 5 layers = 2 DSSD + 3 MAPS
 - Double Side Silicone Strip (DSSD), 300 μm thickness, strip pitch 95 μm - 281 μm
 - Monolithic Active Pixel Sensors (MAPS) designed and produced for ALICE, pixel size 29 μm \times 27 μm


- Low material budget
- As close as possible to the beam pipe $5 < R < 25$ cm
- Spatial resolution < 100 μm
- Use of MAPS improves the signal-to-background ratio of D meson peak by a factor of 3



MC study: DSSD compared to MAPS+DSSD



Straw Tracker (ST)



- Main tracker system of SPD
- Barrel is made of 8 modules with up to 30 double-layers, with the *ZUV* orientation
- Endcaps are made of 12 double-layers with the *XYUV* orientation
- Vast experience in straw production in JINR for several experiments: NA58, NA62, NA64; prototypes for: COZY-TOF, CREAM, SHiP, COMET, DUNE.


- Maximum drift time of 120 ns for $\varnothing=10\text{mm}$ straw
- Spatial resolution of 150 μm
- Expected DAQ rate up to half MHz (electronics is limiting factor)
- Number of readout channels $\sim 50\text{k}$
- Can be used for PID if energy deposition is detected




Straw Tracker (ST)

CDR version (end of 2020)


30 double layers of straw



Layers 10x(ZUV)




Momentum resolution vs p_T



- Majority of tubes should be oriented \perp to the bending plane
- Number of channels can be reduced by a factor of 3
- Less dead space due to covers & electronics

PID: TPC compared to Straw in respect of the dE/dx analysis


TPC of MPD




Inner pads: $S = 5\text{mm} \times 12\text{mm} = 60\text{mm}^2$
 Outer pads: $S = 5\text{mm} \times 18\text{mm} = 90\text{mm}^2$

Maximum drift time $30 \mu\text{s}$

MC simulation for Straw



Straw of SPD




$\varnothing=10\text{mm}$ straw: $S = 78\text{mm}^2$
 $\varnothing=5\text{mm}$ straw: $S = 20\text{mm}^2$

Maximum drift time 120 ns


ST assembling procedure

all will be done by hand


1




2



3




4




PID: Time-of-Flight (TOF)

Artem Semak, Evgueni Ladyguine

mRPC option




Plastic scintillator option




*~60 ps resolution
Has to be improved by a factor of 2*

TOF MPD




MPD NICA TDR TOF, Nov 2018, Rev 3.0

TOF BM@N





see CDR

Inspired by the TOF of PANDA




TDR for the PANDA Barrel TOF, July 4, 2018


Assembling room for the MRPC barrel of MPD in JINR/LHEP



Mechanics issues of the MRPC option for TOF/SPD





- MPD module has 17cm thickness radially → no space for another PID detector



- To be removable, the diameter of the TOF end-cap must be smaller than the one of the magnet coil
- Either large dead regions or conflict with coils




no responsible for the moment

Aerogel counters for PID



- Identification based on Cherenkov light radiation
- Range of π/K separation is a function of refractive index n
- The design follow closely the one of KEDR (Novosibirsk)
- Low light yield ~ 6 p.e.
- Can be used only in endcaps since there is more space and it is a region of higher momentum particles


PID analysis in SPD (π , K, p)



π /K separation

- Short tracks ($R < 1\text{m}$) to be identified by straw up to $0.7\text{ GeV}/c$
- Long tracks ($R > 1\text{m}$) to be identified by straw+TOF up to $1.5\text{ GeV}/c$
- tracks with $p > 1.5\text{ GeV}/c$ to be identified by aerogel


Electromagnetic Calorimeter (ECal)



- Purpose: detection of prompt photons and photons from π^0 , η and χ_c decays
- Identification of electrons and positrons
- Number of radiation lengths $18.6X_0$
- Total weight is $40\text{t (barrel)} + 2 \times 14\text{t (endcap)} = 68\text{t}$
- Support structure will be made of carbon composite materials
- Total number of channels is $\sim 30\text{k}$


- 200 layers of lead (0.5 mm) and scintillator (1.5mm)
 - Size of one sandwich: $4 \times 4 \times 40 \text{ cm}^3$
- Moliere radius is $\sim 2.4 \text{ cm}$
- 36 fibers of one cell transmit light to $6 \times 6 \text{ mm}^2$ SiPM
- Energy resolution is $\sim 5\% / \sqrt{E}$
- Low energy threshold is $\sim 50 \text{ MeV}$
- Time resolution is $\sim 0.5 \text{ ns}$

Energy deposition of one cell for MIP




Electromagnetic Calorimeter (ECal)

CDR version (end of 2020)




Update (May 2021)






- Barrel layout is sectorized
- Follow the MPD procedure for the frame & installation
- Radial size increased by 10 cm

Electromagnetic Calorimeter (ECal)

Калориметр установлен (1:50)




RS Бочка (1:50)




SPD ECal Carbon Frame

1/16 SPD ECal Barrel





A-A (1:50)




Electromagnetic Calorimeter (ECal)

Корзина бочки ECal SPD


Ячейка бочки ECal SPD x 752 шт.



Ячейка бочки ECal SPD




Сектор бочки ECal SPD
Аксонетрическая проекция
(уменьшено x0,5)




Сектор бочки ECal SPD

Корзина бочки ECal SPD x 2 шт.





A
(увеличено x2)




1. *Размеры для справок.

Range System (RS)

Results of beam tests of RS prototype (10 ton, 4k ch) at CERN




- Purposes: μ identification, rough hadron calorimetry
- 20 layers of Fe (3-6 cm) interleaved with gaps for Mini Drift Tube (MDT) detectors
- Total mass ~ 800 t, at least $4\lambda_I$
- The design will follow closely the one of PANDA
- MDT provide 2 coordinate readout (~ 100 kch)
 - Al extruded comb-like 8-cell profile with anode wires + external electrodes (strips) perpendicular to the wires




Range System (RS)

CDR version (end of 2020)






(May 2021)




Under discussion

- End-cap disk&plug is replaced with sliding halves
- Radial size increased by 10 cm

Motivation for the RS end-cap update







- Sliding end-cap halves are more convenient for long-term use
 - faster and safer to open
 - no need to disconnect cables



Deflection of upper module downward under its own weight is about **2 mm**





RS assembling procedure



Detectors for local polarimetry and luminosity control




- BBC (MCP+SciTil) at $z=\pm 1.4m$
- MCP at $z=\pm 3.9m$
- ZDC at $z=\pm 12.9m$

Beam-Beam Counter (BBC)




Beam Beam Counter (BBC)

$z = \pm 1.4 \text{ m}$




$z = \pm 3.9 \text{ m}$



- BBC consists of inner and outer parts
 - *Inner part*: Micro-Channel Plates (MCP) located outside the beam pipe in its own vacuum volume. Excellent time resolution.
 - *Outer part*: plastic scintillator tiles with SiPM readout. Time resolution of 0.5 ns.

Zero Degree Calorimeter (ZDC)






- ZDC will be integrated in the cryostat placed between two vertically deflecting magnets, 13 m from IP
- Sampling calorimeter with fine segmentation, 5x5 matrix
- SiPM light readout, about 1000 channels
- Readout based on electronics designed for the DANSS neutrino experiment at Kaliniskaya NPP
- Time resolution ~ 150 ps
- Energy resolution for neutrons
 - $50 \div 60\% / \sqrt{E} \oplus 8 \div 10\%$
- Neutron entry point spatial resolution 10 mm
- The main issue to solve: how to place the detector in vacuum cryostat of accelerator
- We need MC simulation!

Conclusions

- SPD (Spin Physics Detector) is a universal facility with the primary goal to study unpolarized and polarized gluon content of p and d
 - Almost 4π coverage of acceptance
 - Tracking by silicon vertex detector (VD) and straw tracker (ST)
 - PID by TOF, Aerogel counters and dE/dx in ST
 - EM calorimeter for e^\pm and γ identification
 - Range system for the muon identification and rough hadron calorimetry
 - Local polarimetry and luminosity control
- Magnetic system is an open issue for today
 - Superconductive magnet: either solenoid or isolated coils
 - If built in JINR, it has to be the isolated coils
 - Inside or outside ECal


backup slides





Assembling position with open end-caps of RS

Working "beam" position with closed end-caps of RS



Two options for TOF (pros & cons)


MRPC	SciTil
sophisticated production procedure	assembling is fast and easy
requires gas flow, HV (trips)	easier to maintain (no gas, only LV)
takes radially 17cm (MPD), no way for Aerogel	can be squeezed within ~6cm, space for Aerogel
rectangular shape, large size (inconvenient for round end-caps)	small tile \Rightarrow can fit cylindrical shape
rad. length $\approx 0.14X_0$ (MPD)	rad. length $\approx 0.02X_0$
σ_t is independent of l_{strip}	σ_t drops exponentially with l_{tile}
S = pitch x length = 1.25cm x 40cm = 50cm ² N _{channel} \approx 10k	S = pitch x length = 2.9cm x 9cm = 26cm ² N _{channel} \approx 20k
not sensitive to radiation	sensitive to radiation
well established technology (MPD, BM@N)	requires R&D



- Both options are able to provide the resolution of ~60ps
- Applying different options for barrel and end-caps will double expenses/efforts for: DAQ, Power supply, Slow control, calibration & analysis


Summary: options for PID (TOF, Aerogel, Straw)

TOF/MRPC barrel




- Module takes 17cm radially (no place for other PID detector)
- Choice for TOF end-caps is still opens

Aerogel only




- Module takes 17cm radially (no place for other PID detector)
- Missing timing measurements in barrel

TOF/plastic + Aerogel




- The same choice of TOF for barrel and end-caps
- Lower thickness → lower efficiency for Aerogel

TOF/plastic + Straw expansion




- The same choice of TOF for barrel and end-caps
- Improvement of dE/dx via increasing straw layers by 10


Plastic scintillator option for TOF/SPD



Brackets for fixation



Alignment of tiles without dead zones




- $V_{\text{tile}} = 9\text{cm} \times 3\text{cm} \times 0.5\text{cm} = 13.5 \text{ cm}^3$
- $\rho_{\text{tile}} = 1.032 \text{ g/cm}^3 \rightarrow m_{\text{tile}} = 13.9\text{g}$
- $m_{\text{barrel}} = 7.3\text{k} \times 13.9\text{g} = 101\text{kg}$


Unloading zone of MPD



Data Acquisition System (DAQ)



- Bunch crossing every 76 ns → crossing rate 12.5 MHz
- At maximum luminosity of $10^{32} \text{ cm}^{-2}\text{s}^{-1}$ the interaction rate is 4 MHz
- No hardware trigger to avoid possible biases
- Raw data stream 20 GB/s or 200 PB/year
- Online filter to reduce data by order of magnitude ~10 PB/year



	CPU [cores]	Disk [PB]	Tape [PB]
Online filter	6000	2	none
Offline computing	30000	5	9 per year