

Работа с гамма-камерой **iPIX** (фирмы Канберра) в НИЦ Курчатовский институт

Москва, июль 2016



2 точечных источника Am-241 и Cs-137

CS-137in Containers.pdf - Adobe Reader

File Edit View Document Tools Window Help

Find

53.6%

2 / 4


Superimposed Image



IPIX Measurement Report


Document created 2016-07-12T16:12:12


Decoded Gamma Image




IPIX Measurement Report

Document created 2016-07-12T16:12:12







Квази окружность – вращающийся точечный источник Cs-137




Квази окружность меньшего диаметра – вращающийся точечный источник Cs-137




Окружность меньшего диаметра– вращающийся точечный источник Cs-137 вращение остановлено




Вращающийся точечный источник Cs-137. Краевые эффекты при работе маски




Квази окружность меньшего диаметра— вращающийся точечный источник Cs-137




Вращающийся точечный источник Cs-137. Краевые эффекты при работе маски




Вращающийся точечный источник Cs-137. Краевые эффекты при работе маски




Протяженный источник Нить с Cs-137.




Протяженный источник Нить с Cs-137. Краевые эффекты




Протяженный источник Нить с Cs-137. Краевые эффекты




Протяженный источник Нить с Cs-137. Вертикальное расположение



Маска 7-2 мм. Мощный источник Am-241




Маска 7-2 мм. Мощный источник Am-241 + боковой фон



Маска 7-2 мм. Мощный источник Am-241 + боковой фон

Другие объекты



1st-cont-1.pdf - Adobe Reader

File Edit View Document Tools Window Help


Find

50%

2 / 4

CANBERRA

Superimposed Image




iPK Measurement Report

Document created 2016-07-12T17:50:07

CANBERRA

Decoded Gamma Image



iPK Measurement Report


Document created 2016-07-12T17:50:07

Find

50%

2 / 4


Superimposed Image



IPX Measurement Report

Document created 2016-07-12T17:48:53

Decoded Gamma Image



IPX Measurement Report

Document created 2016-07-12T17:48:53

2-1cont-0.pdf - Adobe Reader

File Edit View Document Tools Window Help

Find

50%

2 / 4


Print

17

A

CANBERRA

Superimposed Image




iPK Measurement Report

Document created 2016-07-12T16:56:17

A

CANBERRA

Decoded Gamma Image



iPK Measurement Report

Document created 2016-07-12T16:56:17

2cont-0.pdf - Adobe Reader

File Edit View Document Tools Window Help

Find


53.6%

2 / 4

A

CANBERRA

Superimposed Image




IPIX Measurement Report

Document created 2016-07-12T16:32:52

A

CANBERRA

Decoded Gamma Image




IPIX Measurement Report

Document created 2016-07-12T16:32:52

A

CANBERRA

Superimposed Image




IPIX Measurement Report

Document created 2016-07-12T16:32:52

A


CANBERRA

Decoded Gamma Image



IPIX Measurement Report

Document created 2016-07-12T16:32:52



2cont-1-1.pdf - Adobe Reader

File Edit View Document Tools Window Help

Find


53.6%

2 / 4

A

CANBERRA

Superimposed Image




IPIX Measurement Report

Document created 2016-07-12T16:30:19

A

CANBERRA

Decoded Gamma Image



IPIX Measurement Report

Document created 2016-07-12T16:30:19

2cont-1-1.pdf - Adobe Reader

File Edit View Document Tools Window Help

Find


53.6%

2 / 4

A

CANBERRA

Superimposed Image




IPIX Measurement Report

Document created 2016-07-12T16:30:19

A


CANBERRA

Decoded Gamma Image



IPIX Measurement Report

Document created 2016-07-12T16:30:19



slot-1.pdf - Adobe Reader

File Edit View Document Tools Window Help

Find


53.6%

2 / 4

A

CANBERRA

Superimposed Image




IPIX Measurement Report

Document created 2016-07-12T17:46:50

A

CANBERRA

Decoded Gamma Image



IPIX Measurement Report

Document created 2016-07-12T17:46:50

slot-2.pdf - Adobe Reader

File Edit View Document Tools Window Help

Find


53.6%

2 / 4

A

CANBERRA

Superimposed Image




IPIX Measurement Report

Document created 2016-07-12T16:59:31

A

CANBERRA

Decoded Gamma Image



IPIX Measurement Report

Document created 2016-07-12T16:59:31