

**FCalPulse.**  
**Effect of Oxygen Contamination on**  
**Pulse Behavior**

Faig Ahmadov

10.01.2023

JINR & IP MSE

# Data 2022


Experimental data from eos:

/eos/atlas/atlascerngroupdisk/larg-upgrade/phase-2/FCalPulse/data/2022/



Code to get the necessary variables from Savin (gitlab [link](#)).

Compared runs details								
run w/o O <sub>2</sub> cont.	# event in Paper logbook	Entries From files	run w/ O <sub>2</sub> cont.	# event in Paper logbook	Entries From files	Source in		
						HV FC mid.	HV FC out.	HV SC
1162	<b>30353</b>	31252	1189	19092	19092	+250	+250	+250
1163	<b>30403</b>	30990	1192	<b>17733</b>	18757	+250	+250	-800
1170	21329	21329	1203	17183	17183	-250	-250	-800

# FCal and Shower Cal



# Shower Calorimeter Quadrants



## **Comparison of run1162 w/ run1189**

HV (FC mid, FC out, SC): +250, +250, +250




# Spectrum in SCal rear Quadrants

Not normalised




Normalised to 1

Normalised to evt #






# Spectrum in FCal Tubes




Tube A



Tube B



Tube C



not normalised




normalised to 1

normalised to event #






# FCal Tubes response




Tube A



Tube B



Tube C




not normalised

normalised to 1

normalised to event #


# Amplitude in FCal Tubes

tube0\_bin0\_norm1




Tube 1

tube1\_bin0\_norm1



Tube 2

tube2\_bin0\_norm1



Tube 3

# **Comparison of run1163 w/ run1192**

HV (FC mid, FC out, SC): +250, +250, -800




# Spectrum in SCal rear Quadrants

Not normalised


Normalised to 1

Normalised to evt #




# Spectrum in FCal Tubes


Tube A






Tube B






Tube C



not normalised






normalised to 1






normalised to event #

# FCal Tubes response




Tube A



Tube B



Tube C




not normalised


normalised to 1

normalised to event #


# Amplitude in FCal Tubes



Tube 1



Tube 2



Tube 3




# **Comparison of run1170 w/ run1203**


HV (FC mid, FC out, SC): -250, -250, -800

# Spectrum in SCal front Quadrants


Not normalised



Normalised to 1




Normalised to evt #




# Spectrum in SCal rear Quadrants


Not normalised



Normalised to 1






Normalised to evt #








# FCal Tubes response




Tube A



Tube B



Tube C




not normalised


normalised to 1

normalised to event #


# Amplitude in FCal Tubes



Tube 1



Tube 2



Tube 3

## Conclusion

The number of events in the files and in the paper logbook does not match in some runs.

The difference between the signals in runs with and without oxygen contamination is more noticeable in the later run than in previous runs.

It looks like in the initial runs with oxygen contamination, the oxygen didn't mix completely.