





JINR Association of Young Scientists and Specialists

The XXVII International Scientific Conference of Young Scientists and Specialists



Devoted to the 110th anniversary of Bruno Pontecorvo

Prototype of a software complex for creating digital twins of large-scale distributed computer systems for megascience projects



DARIA PRIAKHINA

V. KORENKOV, V. TROFIMOV




Meshcheryakov Laboratory of Information Technologies

Joint Institute for Nuclear Research

Modern scientific research and megascience experiments

The CERN accelerator complex (Switzerland)





Nuclotron-based Ion Collider fAcility



Beijing Electron Positron Collider (BEPC, China)

These and many others...

High Energy Photon Source project (HEPS, China)



lon source

Modern scientific research and megascience experiments

The CERN accelerator complex Nuclotron-based Ion Collider fAcility (NICA, JINR, Dubna, Russia) (Switzerland) ... need large-scale computing systems to store large amounts of data and process them in a relatively short time! mese and Source Collider many others... project (BEPC, (HEPS, China) China

Distributed data acquisition, storage and processing centers (DDC)









Institute of High Energy Physics
Chinese Academy of Sciences







- Geographically distributed infrastructure.
- Large-scale systems.
- Designed to work with extremely large amounts of data.
- Consists of various types of resources.
- Collective shared access to data storage and processing resources.

Distributed data acquisition, storage and processing centers (DDC)






Important!

The systems must guarantee highquality and efficient operation.

Data Center



Institute of High Energy Physics
Chinese Academy of Sciences











Distributed data acquisition, storage and processing centers (DDC)

Worldwide LHC Computing Grid

JINR MULTIFUNCTIONAL INFORMATION AND COMPUTING COMPLEX


- Modeling of complex computing systems.
 - O Describes the system.
 - Reflects the processes taking place in the system.
 - Testing of the system with different variants of equipment parameters, data flows and jobs.

Important!

The systems must guarantee highquality and efficient operation.

Digital twin

Priakhina D., Korenkov V.
The relevance of creating a digital twin for managing distributed data acquisition, storage and processing centers (accepted in print)



Digital twin (DT)

Real-time operation throughout the entire DDC life cycle.

COMPUTER MODEL



INPUT DATA

- Architecture and hardware parameters of DDC.
- Characteristics of data flows and job flows.

FUNCTIONAL PURPOSE


- Designing of DDC.
- Analysis of the efficiency and reliability of DDC.
- Testing scaling scenarios based on data flows and job flows requirements.
- Assessment of the required amount of resources for specific tasks.
- Checking job flows management strategies.

Priakhina D., Korenkov V., Trofimov V. A method of constructing digital twins for solving problems of effective management and development of distributed data acquisition, storage and processing centers (accepted in print)

Software complex for creating digital twins of DDC

Modeling core


- Universal applicable for modeling any data center without changing the program code.
- Probabilistic distributions are taken into account when forming data flows, job flows, and criteria for the functioning of equipment.
- Used for design tasks, data center scaling during operation, searching for problem areas when data flows and job flows change.






Построение инфраструктуры центра сбора, хранения и обработки данных







Building the computing

infrastructure

- Setting the equipment parameters.
- Setting characteristics of data flows and job flows.

The prototype of the web service has not yet been localized.



| | Добавление эксперимента | | | | | | | | |
|------------------------------------|---|--|--|--|--|--|--|--|--|
| Заполните поля формы, | Заполните поля формы, чтобы добавить новый эксперимент для поиска оптимальной конфигурации оборудования | | | | | | | | |
| * Обязательное поле для заполнения | | | | | | | | | |
| | Название эксперимента * | | | | | | | | |
| | Test 1 | | | | | | | | |
| | Описание эн | сперимента | | | | | | | |
| | Поиск оптимального количества ресурсов для хранения данных | | | | | | | | |
| | Параметры мо | делирования | | | | | | | |
| • Продолжительность ра | оботы моделируемой инфраструктур | ъ – 720 ч. | | | | | | | |
| • Ускорение процесса м | моделирования в 100 | раз. | | | | | | | |
| | Параметры л | огирования | | | | | | | |
| Выберите объект | ы и события, о которых необходи | мо сохранять информацию во время моделирования | | | | | | | |
| • Объекты моделируемой | і инфраструктуры | | | | | | | | |
| • | Хранилища данных | | | | | | | | |
| | Вычислительные компоненты | | | | | | | | |
| | Каналы связи | | | | | | | | |
| • События | | | | | | | | | |
| ~ | Генерация данных | | | | | | | | |
| ✓ | Потери данных | | | | | | | | |
| ✓ | Работа с файлами | | | | | | | | |
| | Генерация, запуск, выполнен | ие задач | | | | | | | |
| | Добавить Очистить | | | | | | | | |
| | | | | | | | | | |
| | Отм | ена | | | | | | | |

Configuration of computing infrastructure scaling scenarios

Parameters for modeling:

- experiment name;
- description;
- duration of work;
- speed up of modelling;
- objects and events for logging.



Информация об эксперименте

Дата создания: 7 февраля 2023 г. 10:36

Название эксперимента

Test 1

Описание эксперимента

Поиск оптимального количества ресурсов для хранения данных

Параметры моделирования

- Продолжительность работы моделируемой инфраструктуры 800 ч.
- Ускорение процесса моделирования в 1000 раз.

Параметры логирования

- Объекты моделируемой инфраструктуры
- ✓ Хранилища данных
 - Вычислительные компоненты
 - Каналы связи
- События
 - ✓ Генерация данных
 - ✓ Потери данных
 - ✓ Работа с файлами
 - Генерация, запуск, выполнение задач

Посмотреть результаты

Выбрать другой эксперимент

Базовая конфигурация

| Хранилища даннных | | | | | | | | |
|-------------------|---------------------------|------------|--|--|--|--|--|--|
| Название | Описание | Объем (ТБ) | | | | | | |
| trigger | Trigger BM@N | 10000,0 | | | | | | |
| buffer | Data receptipon buffer | 5400,0 | | | | | | |
| eoslhep | Main storage LHEP | 1000,0 | | | | | | |
| eoslit | Main storage LIT | 1000,0 | | | | | | |
| dcach | рр | 1000,0 | | | | | | |

| Ві | ы | 4 | И | c | Л | lи | r | Т | e | J | lE | ы | Н | Ы | E | 9 | K | O | N | 11 | П | o | Ė | ie | H | ť | Т | Ы | |
|------|---|---|---|---|---|----|---|---|---|-----|----|---|---|---|---|---|---|---|---|----|---|---|---|----|---|-----|---|---|--------|
| | | | | | | | | | | - 1 | | | | | | | | | | | | | - | | | - 1 | | | ٠. |


| Название | Описание | Количество ядер |
|----------|----------------|-----------------|
| t2lit | LIT T2 farm | 500 |
| ncxlhep | LHEP main farm | 1200 |
| super | Govorun | 190 |

Каналы связи

| Название | Описание | Пропускная способность (Гб/с) | | | | | | |
|----------------|------------------|----------------------------------|--|--|--|--|--|--|
| raw0 | trigger - buffer | 100,0 | | | | | | |
| raw1 | buffer - lhep | 10,0 | | | | | | |
| raw2 | buffer - lit | 10,0 | | | | | | |
| compute0 | lhep - farm lhep | 10,0 | | | | | | |
| computel | lit - Govorun | 10,0 | | | | | | |
| compute2 | lit - farm lit | 10,0 | | | | | | |
| dataeosLhepLit | eoslhep - eoslit | 10,0 | | | | | | |
| dataeosLitLhep | eoslit - eoslhep | 10,0 | | | | | | |

Добавить модификацию

Starting the digital twin




Simultaneous run of all modifications is possible



The digital twin results

Результаты эксперимента Test 1

Выберите вкладку для просмотра результатов



Available for viewing:


- data storage load volume;
- using cores on computing components;

- load on communication links;
- job queues, the number of completed jobs;
- distribution of files in storages.



Verified by the example of the BM@N experiment computing infrastructure

Experimental data acquisition and storage




- Duration ≈ 750 hours
- 1 raw file ≈ 15 GB

Tasks

- 1. Find the amount of resources that are needed to store all raw-data on the Online storage.
- 2. Find the number of raw files in the EOS storage.

Running experimental data processing jobs




the execution of jobs.


iobs.

communication links.


Monitoring VS Digital Twin

The probability of stopping (failure) of the data generator – 80%










- Non uniform distribution.
- No data is received at all by some periods.


Priakhina D., Korenkov V., Trofimov V., Gertsenberger K. Verification of the simulation program for creating digital twins of distributed data acquisition, storage and processing centers (accepted in print)

Monitoring VS Digital Twin

NCX LHEP (100 cores) Processing time of all jobs ≈ 30 h




Monitoring VS Digital Twin



- Avg. data transfer rate to NCX LHEP ≈ 4 Gbit / s
- Avg. data transfer rate to Tier LIT from 8 Gbit / s
 to 64 Gbit / s


Priakhina D., Korenkov V., Trofimov V., Gertsenberger K. Verification of the simulation program for creating digital twins of distributed data acquisition, storage and processing centers (accepted in print)





Digital Twin of SPD Online filter

First experience



To calculate:

data storage volumes;


- ? network load;
- ? load of computing resources etc.



Digital Twin of SPD Online filter

First experience

Data generation efficiency – 20%



and the comp.

resources

rigger and

the Buffer

resources and the

intermed. storage

Conclusions





- Software complex has been developed to create digital twins of distributed data acquisition, storage and processing centers:
 - o database;
 - modelling program (successful approbation);
 - web-service (prototype: building DT, setting configurations, starting DT, viewing results).
- The modeling program takes into account:
 - the probability of failures and changes in equipment parameters;
 - requirements for stored data flows;
 - o requirements for data processing job flows.




The certificate of state registration №2023667305 (14.08.2023, Russia)


Conclusions





Software complex is used for the design of NICA project computing infrastructures.





The examples confirm the possibility of further use of the software complex in the design and modernization of various computing infrastructures for megascience projects.

Acknowledgments





- 1. This work is supported by **JINR grant for young scientists** No. 23-602-03.
- 2. Thanks to **Konstantin Gertsenberger (LHEP)** for providing the source data and the opportunity to use the software complex for modeling of the BM@N experiment computing infrastructure.
- 3. Thanks to **Igor Pelevanyuk (MLIT)** for providing data monitoring the use of the BM@N experiment computing infrastructure for verification of the modeling program.
- 4. Thanks **Danila Oleynik (MLIT)** and SPD collaboration for providing the source data and the opportunity to use the software complex to create digital a twin of SPD Online filter.







JINR Association of Young Scientists and Specialists

The XXVII International Scientific Conference of Young Scientists and Specialists



Devoted to the 110th anniversary of Bruno Pontecorvo

Thank you for the attention!



DARIA PRIAKHINA

V. KORENKOV, V. TROFIMOV



Meshcheryakov Laboratory of Information Technologies

Joint Institute for Nuclear Research