

СПИСОК НАУЧНЫХ ПУБЛИКАЦИЙ
ПОПОВА Б.А. (на Июль 2023)

1. H. Adhikary *et al.* [NA61/SHINE], “Measurements of π^+ , π^- , p , \bar{p} , K^+ and K^- production in 120 GeV/c p + C interactions,” [arXiv:2306.02961 [hep-ex]].
2. M. A. Ramírez *et al.* [T2K], “Updated T2K measurements of muon neutrino and antineutrino disappearance using 3.6×10^{21} protons on target,” [arXiv:2305.09916 [hep-ex]].
3. H. Adhikary *et al.* [NA61/SHINE], “Search for the critical point of strongly-interacting matter in ${}^{40}\text{Ar} + {}^{45}\text{Sc}$ collisions at 150A GeV/c using scaled factorial moments of protons,” [arXiv:2305.07557 [nucl-ex]].
4. K. Abe *et al.* [T2K], “First measurement of muon neutrino charged-current interactions on hydrocarbon without pions in the final state using multiple detectors with correlated energy spectra at T2K,” [arXiv:2303.14228 [hep-ex]].
5. D. Attié, O. Ballester, M. Batkiewicz-Kwasniak, P. Billoir, A. Blondel, S. Bolognesi, R. Bouillon, D. Calvet, M. P. Casado and M. G. Catanesi, *et al.* “Characterization of Charge Spreading and Gain of Encapsulated Resistive Micromegas Detectors for the Upgrade of the T2K Near Detector Time Projection Chambers,” [arXiv:2303.04481 [physics.ins-det]].
6. M. A. Ramírez *et al.* [T2K], “Measurements of neutrino oscillation parameters from the T2K experiment using 3.6×10^{21} protons on target,” [arXiv:2303.03222 [hep-ex]].
7. H. Adhikary *et al.* [NA61/SHINE], “Measurements of two-pion HBT correlations in Be+Be collisions at 150A GeV/c beam momentum, at the NA61/SHINE experiment at CERN,” [arXiv:2302.04593 [nucl-ex]].
8. D. Attié, O. Ballester, M. Batkiewicz-Kwasniak, P. Billoir, A. Blanchet, A. Blondel, S. Bolognesi, R. Bouillon, D. Calvet and M. P. Casado, *et al.* “Analysis of test beam data taken with a prototype of TPC with resistive Micromegas for the T2K Near Detector upgrade,” Nucl. Instrum. Meth. A **1052** (2023), 168248 doi:10.1016/j.nima.2023.168248 [arXiv:2212.06541 [physics.ins-det]].
9. H. Adhikary *et al.* [NA61/SHINE], “Measurements of KS_0 , Λ , and Λ^- production in 120 GeV/c p+C interactions,” Phys. Rev. D **107** (2023) no.7, 072004 doi:10.1103/PhysRevD.107.072004 [arXiv:2211.00183 [hep-ex]].
10. H. Adhikary *et al.* [NA61/SHINE], “Measurement of hadron production in $\pi\text{-C}$ interactions at 158 and 350 GeV/c with NA61/SHINE at the CERN SPS,” Phys. Rev. D **107** (2023) no.6, 062004 doi:10.1103/PhysRevD.107.062004 [arXiv:2209.10561 [nucl-ex]].

11. K. Abe *et al.* [T2K], “Scintillator ageing of the T2K near detectors from 2010 to 2021,” JINST **17** (2022) no.10, P10028 doi:10.1088/1748-0221/17/10/P10028 [arXiv:2207.12982 [physics.ins-det]].
12. A. Acharya *et al.* [NA61/SHINE], “ $K^*(892)^0$ meson production in inelastic p+p interactions at 40 and 80 GeV/c beam momenta measured by NA61/SHINE at the CERN SPS,” Eur. Phys. J. C **82** (2022) no.4, 322 doi:10.1140/epjc/s10052-022-10281-5 [arXiv:2112.09506 [nucl-ex]].
13. S. Dolan, V. Q. Nguyen, A. Blanchet, S. Bolognesi, M. Buizza Avanzini, J. Chakrani, A. Ershova, C. Giganti, Y. Kudenko and M. Lamoureux, *et al.* “Sensitivity of the upgraded T2K Near Detector to constrain neutrino and antineutrino interactions with no mesons in the final state by exploiting nucleon-lepton correlations,” Phys. Rev. D **105** (2022) no.3, 032010 doi:10.1103/PhysRevD.105.032010 [arXiv:2108.11779 [hep-ex]].
14. D. Attié, M. Batkiewicz-Kwasniak, P. Billoir, A. Blanchet, A. Blondel, S. Bolognesi, D. Calvet, M. G. Catanesi, M. Cicerchia and G. Cogo, *et al.* “Characterization of resistive Micromegas detectors for the upgrade of the T2K Near Detector Time Projection Chambers,” Nucl. Instrum. Meth. A **1025** (2022), 166109 doi:10.1016/j.nima.2021.166109 [arXiv:2106.12634 [physics.ins-det]].
15. A. Acharya *et al.* [NA61/SHINE], “ K_S^0 meson production in inelastic p+p interactions at 158 GeV/c beam momentum measured by NA61/SHINE at the CERN SPS,” Eur. Phys. J. C **82** (2022) no.1, 96 doi:10.1140/epjc/s10052-021-09976-y [arXiv:2106.07535 [hep-ex]].
16. A. Acharya *et al.* [NA61/SHINE], “Measurements of $\Xi(1530)^0$ and $\bar{\Xi}(1530)^0$ production in proton–proton interactions at $\sqrt{s_{NN}} = 17.3 \text{ GeV}$ in the NA61/SHINE experiment,” Eur. Phys. J. C **81** (2021) no.10, 911 doi:10.1140/epjc/s10052-021-09631-6 [arXiv:2105.09144 [nucl-ex]].
17. K. Abe *et al.* [T2K], “First T2K measurement of transverse kinematic imbalance in the muon-neutrino charged-current single- π^+ production channel containing at least one proton,” Phys. Rev. D **103** (2021) no.11, 112009 doi:10.1103/PhysRevD.103.112009 [arXiv:2102.03346 [hep-ex]].
18. A. Acharya *et al.* [NA61/SHINE], “Spectra and mean multiplicities of π^- in central $^{40}\text{Ar} + ^{45}\text{Sc}$ collisions at 13A, 19A, 30A, 40A, 75A and 150A GeV/c beam momenta measured by the NA61/SHINE spectrometer at the CERN SPS,” Eur. Phys. J. C **81** (2021) no.5, 397 doi:10.1140/epjc/s10052-021-09135-3 [arXiv:2101.08494 [hep-ex]].
19. K. Abe *et al.* [Hyper-Kamiokande], “Supernova Model Discrimination with Hyper-Kamiokande,” Astrophys. J. **916** (2021) no.1, 15 doi:10.3847/1538-4357/abf7c4 [arXiv:2101.05269 [astro-ph.IM]].

20. K. Abe *et al.* [T2K], “Improved constraints on neutrino mixing from the T2K experiment with 3.13×10^{21} protons on target,” Phys. Rev. D **103** (2021) no.11, 112008 doi:10.1103/PhysRevD.103.112008 [arXiv:2101.03779 [hep-ex]].
21. A. Acharya *et al.* [NA61/SHINE], “Measurement of the production cross section of 31 GeV/c protons on carbon via beam attenuation in a 90-cm-long target,” Phys. Rev. D **103** (2021) no.1, 012006 doi:10.1103/PhysRevD.103.012006 [arXiv:2010.11819 [hep-ex]].
22. A. Acharya *et al.* [NA61/SHINE], “Measurements of π^\pm , K^\pm , p and \bar{p} spectra in ${}^7\text{Be} + {}^9\text{Be}$ collisions at beam momenta from $19A$ to $150A$ GeV/c with the NA61/SHINE spectrometer at the CERN SPS,” Eur. Phys. J. C **81** (2021) no.1, 73 [erratum: Eur. Phys. J. C **83** (2023) no.1, 90] doi:10.1140/epjc/s10052-020-08733-x [arXiv:2010.01864 [hep-ex]].
23. A. Acharya *et al.* [NA61/SHINE], “Measurements of multiplicity fluctuations of identified hadrons in inelastic proton–proton interactions at the CERN Super Proton Synchrotron,” Eur. Phys. J. C **81** (2021) no.5, 384 doi:10.1140/epjc/s10052-021-09107-7 [arXiv:2009.01943 [nucl-ex]].
24. K. Abe *et al.* [Hyper-Kamiokande], “The Hyper-Kamiokande Experiment - Snowmass LOI,” [arXiv:2009.00794 [physics.ins-det]].
25. K. Abe *et al.* [T2K], “T2K measurements of muon neutrino and antineutrino disappearance using 3.13×10^{21} protons on target,” Phys. Rev. D **103** (2021) no.1, L011101 doi:10.1103/PhysRevD.103.L011101 [arXiv:2008.07921 [hep-ex]].
26. A. Acharya *et al.* [NA61/SHINE], “Measurements of π^- production in ${}^7\text{Be} + {}^9\text{Be}$ collisions at beam momenta from $19A$ to $150A$ GeV/c in the NA61/SHINE experiment at the CERN SPS,” Eur. Phys. J. C **80** (2020) no.10, 961 [erratum: Eur. Phys. J. C **81** (2021) no.2, 144] doi:10.1140/epjc/s10052-020-08514-6 [arXiv:2008.06277 [nucl-ex]].
27. A. Aduszkiewicz *et al.* [NA61/SHINE], “Measurements of Ξ^- and $\bar{\Xi}^+$ production in proton-proton interactions at $\sqrt{s_{NN}} = 17.3$ GeV in the NA61/SHINE experiment,” Eur. Phys. J. C **80** (2020) no.9, 833 [erratum: Eur. Phys. J. C **82** (2022) no.2, 174] doi:10.1140/epjc/s10052-020-8381-0 [arXiv:2006.02062 [nucl-ex]].
28. A. Aduszkiewicz *et al.* [NA61/SHINE], “Two-particle correlations in azimuthal angle and pseudorapidity in central ${}^7\text{Be} + {}^9\text{Be}$ collisions at the CERN Super Proton Synchrotron,” Eur. Phys. J. C **80** (2020) no.12, 1151 doi:10.1140/epjc/s10052-020-08675-4 [arXiv:2006.02153 [nucl-ex]].
29. K. Abe *et al.* [T2K], “Measurements of $\bar{\nu}_\mu$ and $\bar{\nu}_\mu + \nu_\mu$ charged-current cross-sections without detected pions or protons on water and hydrocarbon at a

mean anti-neutrino energy of 0.86 GeV,” PTEP **2021** (2021) no.4, 043C01 doi:10.1093/ptep/ptab014 [arXiv:2004.13989 [hep-ex]].

30. K. Abe *et al.* [T2K], “Simultaneous measurement of the muon neutrino charged-current cross section on oxygen and carbon without pions in the final state at T2K,” Phys. Rev. D **101** (2020) no.11, 112004 doi:10.1103/PhysRevD.101.112004 [arXiv:2004.05434 [hep-ex]].
31. K. Abe *et al.* [T2K], “Measurement of the charged-current electron (anti-)neutrino inclusive cross-sections at the T2K off-axis near detector ND280,” JHEP **10** (2020), 114 doi:10.1007/JHEP10(2020)114 [arXiv:2002.11986 [hep-ex]].
32. K. Abe *et al.* [T2K], “First combined measurement of the muon neutrino and antineutrino charged-current cross section without pions in the final state at T2K,” Phys. Rev. D **101** (2020) no.11, 112001 doi:10.1103/PhysRevD.101.112001 [arXiv:2002.09323 [hep-ex]].
33. A. Aduszkiewicz *et al.* [NA61/SHINE], “ $K^*(892)^0$ meson production in inelastic p+p interactions at 158 GeV/c beam momentum measured by NA61/SHINE at the CERN SPS,” Eur. Phys. J. C **80** (2020) no.5, 460 doi:10.1140/epjc/s10052-020-7955-1 [arXiv:2001.05370 [nucl-ex]].
34. A. Aduszkiewicz *et al.* [NA61/SHINE], “Search for an Exotic $S = -2, Q = -2$ baryon resonance in proton-proton interactions at $\sqrt{s_{NN}} = 17.3$ GeV,” Phys. Rev. D **101** (2020) no.5, 051101 doi:10.1103/PhysRevD.101.051101 [arXiv:1912.12198 [hep-ex]].
35. A. Aduszkiewicz *et al.* [NA61/SHINE], “Proton-Proton Interactions and Onset of Deconfinement,” Phys. Rev. C **102** (2020) no.1, 011901 doi:10.1103/PhysRevC.102.011901 [arXiv:1912.10871 [hep-ex]].
36. K. Abe *et al.* [T2K], “Search for Electron Antineutrino Appearance in a Long-baseline Muon Antineutrino Beam,” Phys. Rev. Lett. **124** (2020) no.16, 161802 doi:10.1103/PhysRevLett.124.161802 [arXiv:1911.07283 [hep-ex]].
37. K. Abe *et al.* [T2K], “Measurement of neutrino and antineutrino neutral-current quasielasticlike interactions on oxygen by detecting nuclear deexcitation γ rays,” Phys. Rev. D **100** (2019) no.11, 112009 doi:10.1103/PhysRevD.100.112009 [arXiv:1910.09439 [hep-ex]].
38. K. Abe *et al.* [T2K], “Constraint on the matter–antimatter symmetry-violating phase in neutrino oscillations,” Nature **580** (2020) no.7803, 339–344 [erratum: Nature **583** (2020) no.7814, E16] doi:10.1038/s41586-020-2177-0 [arXiv:1910.03887 [hep-ex]].

39. A. Aduszkiewicz *et al.* [NA61/SHINE], “Measurements of hadron production in $\pi^+ + \text{C}$ and $\pi^+ + \text{Be}$ interactions at 60 GeV/c ,” Phys. Rev. D **100** (2019) no.11, 112004 doi:10.1103/PhysRevD.100.112004 [arXiv:1909.06294 [hep-ex]].
40. K. Abe *et al.* [T2K], “Measurement of the muon neutrino charged-current single π^+ production on hydrocarbon using the T2K off-axis near detector ND280,” Phys. Rev. D **101** (2020) no.1, 012007 doi:10.1103/PhysRevD.101.012007 [arXiv:1909.03936 [hep-ex]].
41. A. Aduszkiewicz *et al.* [NA61/SHINE], “Measurements of production and inelastic cross sections for $\text{p}+\text{C}$, $\text{p}+\text{Be}$, and $\text{p}+\text{Al}$ at 60 GeV/c and $\text{p}+\text{C}$ and $\text{p}+\text{Be}$ at 120 GeV/c ,” Phys. Rev. D **100** (2019) no.11, 112001 doi:10.1103/PhysRevD.100.112001 [arXiv:1909.03351 [hep-ex]].
42. K. Abe *et al.* [T2K], “First measurement of the charged current $\bar{\nu}_\mu$ double differential cross section on a water target without pions in the final state,” Phys. Rev. D **102** (2020) no.1, 012007 doi:10.1103/PhysRevD.102.012007 [arXiv:1908.10249 [hep-ex]].
43. K. Abe *et al.* [T2K and J-PARC Neutrino Facility Group], “J-PARC Neutrino Beamline Upgrade Technical Design Report,” [arXiv:1908.05141 [physics.ins-det]].
44. A. Aduszkiewicz *et al.* [NA61/SHINE], “Measurement of ϕ meson production in $p + p$ interactions at 40, 80 and 158 GeV/c with the NA61/SHINE spectrometer at the CERN SPS,” Eur. Phys. J. C **80** (2020) no.3, 199 doi:10.1140/epjc/s10052-020-7675-6 [arXiv:1908.04601 [nucl-ex]].
45. D. Attié, M. Batkiewicz-Kwasniak, J. Boix, S. Bolognesi, S. Bordoni, D. Calvet, M. G. Catanesi, M. Cicerchia, G. Cogo and P. Colas, *et al.* “Performances of a resistive Micromegas module for the Time Projection Chambers of the T2K Near Detector upgrade,” Nucl. Instrum. Meth. A **957** (2020), 163286 doi:10.1016/j.nima.2019.163286 [arXiv:1907.07060 [physics.ins-det]].
46. K. Abe *et al.* [T2K], “Measurement of the ν_μ charged-current cross sections on water, hydrocarbon, iron, and their ratios with the T2K on-axis detectors,” PTEP **2019** (2019) no.9, 093C02 doi:10.1093/ptep/ptz070 [arXiv:1904.09611 [hep-ex]].
47. K. Abe *et al.* [T2K], “Search for heavy neutrinos with the T2K near detector ND280,” Phys. Rev. D **100** (2019) no.5, 052006 doi:10.1103/PhysRevD.100.052006 [arXiv:1902.07598 [hep-ex]].
48. K. Abe *et al.* [T2K], “Search for light sterile neutrinos with the T2K far detector Super-Kamiokande at a baseline of 295 km,” Phys. Rev. D **99** (2019) no.7, 071103 doi:10.1103/PhysRevD.99.071103 [arXiv:1902.06529 [hep-ex]].

49. K. Abe *et al.* [T2K], “Search for neutral-current induced single photon production at the ND280 near detector in T2K,” J. Phys. G **46** (2019) no.8, 08LT01 doi:10.1088/1361-6471/ab227d [arXiv:1902.03848 [hep-ex]].
50. L. Alvarez Russo, J. Asaadi, S. Bolognesi, S. Bordoni, A. de Roeck, M. V. Diwan, T. Lux, D. Meloni, M. Nessi and B. Popov, *et al.* “Research and Development for Near Detector Systems Towards Long Term Evolution of Ultra-precise Long-baseline Neutrino Experiments,” [arXiv:1901.04346 [physics.ins-det]].
51. K. Abe *et al.* [T2K], “T2K ND280 Upgrade - Technical Design Report,” [arXiv:1901.03750 [physics.ins-det]].
52. A. Dell’Acqua, A. Aduszkiewicz, M. Ahlers, H. Aihara, T. Alion, S. Alonso Monsalve, L. A. Russo, V. Antonelli, M. Babicz and A. M. Barbano, *et al.* “Future Opportunities in Accelerator-based Neutrino Physics,” [arXiv:1812.06739 [hep-ex]].
53. N. Abgrall *et al.* [NA61/SHINE], “Measurements of π^\pm , K^\pm and proton double differential yields from the surface of the T2K replica target for incoming 31 GeV/c protons with the NA61/SHINE spectrometer at the CERN SPS,” Eur. Phys. J. C **79** (2019) no.2, 100 doi:10.1140/epjc/s10052-019-6583-0 [arXiv:1808.04927 [hep-ex]].
54. K. Abe *et al.* [T2K], “Search for CP Violation in Neutrino and Antineutrino Oscillations by the T2K Experiment with 2.2×10^{21} Protons on Target,” Phys. Rev. Lett. **121** (2018) no.17, 171802 doi:10.1103/PhysRevLett.121.171802 [arXiv:1807.07891 [hep-ex]].
55. B. Aimard, C. Alt, J. Asaadi, M. Auger, V. Aushev, D. Autiero, M. M. Badoi, A. Balaceanu, G. Balik and L. Balleyguier, *et al.* “A 4 tonne demonstrator for large-scale dual-phase liquid argon time projection chambers,” JINST **13** (2018) no.11, P11003 doi:10.1088/1748-0221/13/11/P11003 [arXiv:1806.03317 [physics.ins-det]].
56. A. Aduszkiewicz *et al.* [NA61/SHINE], “Measurements of total production cross sections for $\pi^+ + \text{C}$, $\pi^+ + \text{Al}$, $K^+ + \text{C}$, and $K^+ + \text{Al}$ at 60 GeV/c and $\pi^+ + \text{C}$ and $\pi^+ + \text{Al}$ at 31 GeV/c,” Phys. Rev. D **98** (2018) no.5, 052001 doi:10.1103/PhysRevD.98.052001 [arXiv:1805.04546 [hep-ex]].
57. K. Abe *et al.* [Hyper-Kamiokande], “Hyper-Kamiokande Design Report,” [arXiv:1805.04163 [physics.ins-det]].
58. K. Abe *et al.* [T2K], “Characterization of nuclear effects in muon-neutrino scattering on hydrocarbon with a measurement of final-state kinematics and correlations in charged-current pionless interactions at T2K,” Phys. Rev. D **98** (2018) no.3, 032003 doi:10.1103/PhysRevD.98.032003 [arXiv:1802.05078 [hep-ex]].

59. K. Abe *et al.* [T2K], “Measurement of inclusive double-differential ν_μ charged-current cross section with improved acceptance in the T2K off-axis near detector,” Phys. Rev. D **98** (2018), 012004 doi:10.1103/PhysRevD.98.012004 [arXiv:1801.05148 [hep-ex]].
60. K. Abe *et al.* [T2K], “First measurement of the ν_μ charged-current cross section on a water target without pions in the final state,” Phys. Rev. D **97** (2018) no.1, 012001 doi:10.1103/PhysRevD.97.012001 [arXiv:1708.06771 [hep-ex]].
61. K. Abe *et al.* [T2K], “Measurement of neutrino and antineutrino oscillations by the T2K experiment including a new additional sample of ν_e interactions at the far detector,” Phys. Rev. D **96** (2017) no.9, 092006 [erratum: Phys. Rev. D **98** (2018) no.1, 019902] doi:10.1103/PhysRevD.96.092006 [arXiv:1707.01048 [hep-ex]].
62. K. Abe *et al.* [T2K], “Measurement of $\bar{\nu}_\mu$ and ν_μ charged current inclusive cross sections and their ratio with the T2K off-axis near detector,” Phys. Rev. D **96** (2017) no.5, 052001 doi:10.1103/PhysRevD.96.052001 [arXiv:1706.04257 [hep-ex]].
63. A. Aduszkiewicz *et al.* [NA61/SHINE], “Measurement of meson resonance production in $\pi^- + C$ interactions at SPS energies,” Eur. Phys. J. C **77** (2017) no.9, 626 doi:10.1140/epjc/s10052-017-5184-z [arXiv:1705.08206 [nucl-ex]].
64. A. Aduszkiewicz *et al.* [NA61/SHINE], “Measurements of π^\pm , K^\pm , p and \bar{p} spectra in proton-proton interactions at 20, 31, 40, 80 and 158 GeV/c with the NA61/SHINE spectrometer at the CERN SPS,” Eur. Phys. J. C **77** (2017) no.10, 671 doi:10.1140/epjc/s10052-017-5260-4 [arXiv:1705.02467 [nucl-ex]].
65. K. Abe *et al.* [T2K], “Measurement of the single π^0 production rate in neutral current neutrino interactions on water,” Phys. Rev. D **97** (2018) no.3, 032002 doi:10.1103/PhysRevD.97.032002 [arXiv:1704.07467 [hep-ex]].
66. K. Abe *et al.* [T2K], “Updated T2K measurements of muon neutrino and antineutrino disappearance using 1.5×10^{21} protons on target,” Phys. Rev. D **96** (2017) no.1, 011102 doi:10.1103/PhysRevD.96.011102 [arXiv:1704.06409 [hep-ex]].
67. K. Abe *et al.* [T2K], “Search for Lorentz and CPT violation using sidereal time dependence of neutrino flavor transitions over a short baseline,” Phys. Rev. D **95** (2017) no.11, 111101 doi:10.1103/PhysRevD.95.111101 [arXiv:1703.01361 [hep-ex]].
68. K. Abe *et al.* [T2K], “Combined Analysis of Neutrino and Antineutrino Oscillations at T2K,” Phys. Rev. Lett. **118** (2017) no.15, 151801 doi:10.1103/PhysRevLett.118.151801 [arXiv:1701.00432 [hep-ex]].

69. K. Abe *et al.* [Hyper-Kamiokande], “Physics potentials with the second Hyper-Kamiokande detector in Korea,” PTEP **2018** (2018) no.6, 063C01 doi:10.1093/ptep/pty044 [arXiv:1611.06118 [hep-ex]].
70. A. Aduszkiewicz *et al.* [NA61/SHINE], “Two-particle correlations in azimuthal angle and pseudorapidity in inelastic p + p interactions at the CERN Super Proton Synchrotron,” Eur. Phys. J. C **77** (2017) no.2, 59 doi:10.1140/epjc/s10052-017-4599-x [arXiv:1610.00482 [nucl-ex]].
71. K. Abe, H. Aihara, A. Ajmi, J. Amey, C. Andreopoulos, M. Antonova, S. Aoki, A. Atherton, S. Ban and F. C. T. Barbato, *et al.* “Proposal for an Extended Run of T2K to 20×10^{21} POT,” [arXiv:1609.04111 [hep-ex]].
72. K. Abe *et al.* [T2K], “Sensitivity of the T2K accelerator-based neutrino experiment with an Extended run to 20×10^{21} POT,” [arXiv:1607.08004 [hep-ex]].
73. K. Abe *et al.* [T2K], “First measurement of the muon neutrino charged current single pion production cross section on water with the T2K near detector,” Phys. Rev. D **95** (2017) no.1, 012010 doi:10.1103/PhysRevD.95.012010 [arXiv:1605.07964 [hep-ex]].
74. K. Abe *et al.* [T2K], “Measurement of Coherent π^+ Production in Low Energy Neutrino-Carbon Scattering,” Phys. Rev. Lett. **117** (2016) no.19, 192501 doi:10.1103/PhysRevLett.117.192501 [arXiv:1604.04406 [hep-ex]].
75. N. Abgrall *et al.* [NA61/SHINE], “Measurements of π^\pm differential yields from the surface of the T2K replica target for incoming 31 GeV/c protons with the NA61/SHINE spectrometer at the CERN SPS,” Eur. Phys. J. C **76** (2016) no.11, 617 doi:10.1140/epjc/s10052-016-4440-y [arXiv:1603.06774 [hep-ex]].
76. K. Abe *et al.* [T2K], “Measurement of double-differential muon neutrino charged-current interactions on C_8H_8 without pions in the final state using the T2K off-axis beam,” Phys. Rev. D **93** (2016) no.11, 112012 doi:10.1103/PhysRevD.93.112012 [arXiv:1602.03652 [hep-ex]].
77. K. Abe *et al.* [T2K], “Measurement of Muon Antineutrino Oscillations with an Accelerator-Produced Off-Axis Beam,” Phys. Rev. Lett. **116** (2016) no.18, 181801 doi:10.1103/PhysRevLett.116.181801 [arXiv:1512.02495 [hep-ex]].
78. A. Aduszkiewicz *et al.* [NA61/SHINE], “Production of Λ -hyperons in inelastic p+p interactions at 158 GeV/c,” Eur. Phys. J. C **76** (2016) no.4, 198 doi:10.1140/epjc/s10052-016-4003-2 [arXiv:1510.03720 [hep-ex]].
79. N. Abgrall *et al.* [NA61/SHINE], “Measurements of π^\pm , K^\pm , K_S^0 , Λ and proton production in proton-carbon interactions at 31 GeV/c with the NA61/SHINE spectrometer at the CERN SPS,” Eur. Phys. J. C **76** (2016) no.2, 84 doi:10.1140/epjc/s10052-016-3898-y [arXiv:1510.02703 [hep-ex]].

80. A. Aduszkiewicz *et al.* [NA61/SHINE], “Multiplicity and transverse momentum fluctuations in inelastic proton–proton interactions at the CERN Super Proton Synchrotron,” *Eur. Phys. J. C* **76** (2016) no.11, 635 doi:10.1140/epjc/s10052-016-4450-9 [arXiv:1510.00163 [hep-ex]].
81. K. Abe *et al.* [T2K], “Measurement of the muon neutrino inclusive charged-current cross section in the energy range of 1–3 GeV with the T2K INGRID detector,” *Phys. Rev. D* **93** (2016) no.7, 072002 doi:10.1103/PhysRevD.93.072002 [arXiv:1509.06940 [hep-ex]].
82. B. A. Popov, “Fixed-target hadron production experiments,” *EPJ Web Conf.* **99** (2015), 02002 doi:10.1051/epjconf/20159902002
83. K. Abe *et al.* [T2K], “Measurement of the electron neutrino charged-current interaction rate on water with the T2K ND280 π^0 detector,” *Phys. Rev. D* **91** (2015), 112010 doi:10.1103/PhysRevD.91.112010 [arXiv:1503.08815 [hep-ex]].
84. K. Abe *et al.* [T2K], “Measurement of the ν_μ charged current quasielastic cross section on carbon with the T2K on-axis neutrino beam,” *Phys. Rev. D* **91** (2015) no.11, 112002 doi:10.1103/PhysRevD.91.112002 [arXiv:1503.07452 [hep-ex]].
85. K. Abe *et al.* [T2K], “Upper bound on neutrino mass based on T2K neutrino timing measurements,” *Phys. Rev. D* **93** (2016) no.1, 012006 doi:10.1103/PhysRevD.93.012006 [arXiv:1502.06605 [hep-ex]].
86. K. Abe *et al.* [T2K], “Measurements of neutrino oscillation in appearance and disappearance channels by the T2K experiment with 6.6×10^{20} protons on target,” *Phys. Rev. D* **91** (2015) no.7, 072010 doi:10.1103/PhysRevD.91.072010 [arXiv:1502.01550 [hep-ex]].
87. S. K. Agarwalla *et al.* [LAGUNA-LBNO], “The LBNO long-baseline oscillation sensitivities with two conventional neutrino beams at different baselines,” [arXiv:1412.0804 [hep-ph]].
88. S. K. Agarwalla *et al.* [LAGUNA-LBNO], “Optimised sensitivity to leptonic CP violation from spectral information: the LBNO case at 2300 km baseline,” [arXiv:1412.0593 [hep-ph]].
89. K. Abe *et al.* [T2K], “Measurement of the ν_μ charged-current quasielastic cross section on carbon with the ND280 detector at T2K,” *Phys. Rev. D* **92** (2015) no.11, 112003 doi:10.1103/PhysRevD.92.112003 [arXiv:1411.6264 [hep-ex]].
90. K. Abe *et al.* [T2K], “Search for short baseline ν_e disappearance with the T2K near detector,” *Phys. Rev. D* **91** (2015), 051102 doi:10.1103/PhysRevD.91.051102 [arXiv:1410.8811 [hep-ex]].

91. K. Abe *et al.* [T2K], “Neutrino oscillation physics potential of the T2K experiment,” *PTEP* **2015** (2015) no.4, 043C01 doi:10.1093/ptep/ptv031 [arXiv:1409.7469 [hep-ex]].
92. I. De Bonis, P. Del Amo Sanchez, D. Duchesneau, H. Pessard, S. Bordoni, M. Ieva, T. Lux, F. Sanchez, A. Jipa and I. Lazanu, *et al.* “LBNO-DEMO: Large-scale neutrino detector demonstrators for phased performance assessment in view of a long-baseline oscillation experiment,” [arXiv:1409.4405 [physics.ins-det]].
93. K. Abe *et al.* [T2K], “Measurement of the Inclusive Electron Neutrino Charged Current Cross Section on Carbon with the T2K Near Detector,” *Phys. Rev. Lett.* **113** (2014) no.24, 241803 doi:10.1103/PhysRevLett.113.241803 [arXiv:1407.7389 [hep-ex]].
94. K. Abe *et al.* [T2K], “Measurement of the inclusive ν_μ charged current cross section on iron and hydrocarbon in the T2K on-axis neutrino beam,” *Phys. Rev. D* **90** (2014) no.5, 052010 doi:10.1103/PhysRevD.90.052010 [arXiv:1407.4256 [hep-ex]].
95. K. Abe *et al.* [T2K], “Measurement of the neutrino-oxygen neutral-current interaction cross section by observing nuclear deexcitation γ rays,” *Phys. Rev. D* **90** (2014) no.7, 072012 doi:10.1103/PhysRevD.90.072012 [arXiv:1403.3140 [hep-ex]].
96. K. Abe *et al.* [T2K], “Measurement of the intrinsic electron neutrino component in the T2K neutrino beam with the ND280 detector,” *Phys. Rev. D* **89** (2014), 092003 doi:10.1103/PhysRevD.89.092003 [arXiv:1403.2552 [hep-ex]].
97. K. Abe *et al.* [T2K], “Precise Measurement of the Neutrino Mixing Parameter θ_{23} from Muon Neutrino Disappearance in an Off-Axis Beam,” *Phys. Rev. Lett.* **112** (2014) no.18, 181801 doi:10.1103/PhysRevLett.112.181801 [arXiv:1403.1532 [hep-ex]].
98. N. Abgrall *et al.* [NA61], “NA61/SHINE facility at the CERN SPS: beams and detector system,” *JINST* **9** (2014), P06005 doi:10.1088/1748-0221/9/06/P06005 [arXiv:1401.4699 [physics.ins-det]].
99. K. Abe, N. Abgrall, H. Aihara, T. Akiri, C. Andreopoulos, S. Aoki, A. Ariga, T. Ariga, S. Assylbekov and D. Autiero, *et al.* “Recent Results from the T2K Experiment,” *Nucl. Phys. B Proc. Suppl.* **246-247** (2014), 23-28 doi:10.1016/j.nuclphysbps.2013.10.060
100. S. K. Agarwalla *et al.* [LAGUNA-LBNO], “The mass-hierarchy and CP-violation discovery reach of the LBNO long-baseline neutrino experiment,” *JHEP* **05** (2014), 094 doi:10.1007/JHEP05(2014)094 [arXiv:1312.6520 [hep-ph]].

101. K. Abe *et al.* [T2K], “Observation of Electron Neutrino Appearance in a Muon Neutrino Beam,” Phys. Rev. Lett. **112** (2014), 061802 doi:10.1103/PhysRevLett.112.061802 [arXiv:1311.4750 [hep-ex]].
102. N. Abgrall *et al.* [NA61/SHINE], “Measurement of negatively charged pion spectra in inelastic p+p interactions at $p_{lab} = 20, 31, 40, 80$ and $158 \text{ GeV}/c$,” Eur. Phys. J. C **74** (2014) no.3, 2794 doi:10.1140/epjc/s10052-014-2794-6 [arXiv:1310.2417 [hep-ex]].
103. N. Abgrall *et al.* [NA61/SHINE], “Measurements of production properties of K_S^0 mesons and Λ hyperons in proton-carbon interactions at $31 \text{ GeV}/c$,” Phys. Rev. C **89** (2014) no.2, 025205 doi:10.1103/PhysRevC.89.025205 [arXiv:1309.1997 [physics.acc-ph]].
104. O. Samoylov *et al.* [NOMAD], “A Precision Measurement of Charm Dimuon Production in Neutrino Interactions from the NOMAD Experiment,” Nucl. Phys. B **876** (2013), 339-375 doi:10.1016/j.nuclphysb.2013.08.021 [arXiv:1308.4750 [hep-ex]].
105. K. Abe *et al.* [T2K], “Measurement of Neutrino Oscillation Parameters from Muon Neutrino Disappearance with an Off-axis Beam,” Phys. Rev. Lett. **111** (2013) no.21, 211803 doi:10.1103/PhysRevLett.111.211803 [arXiv:1308.0465 [hep-ex]].
106. K. Abe *et al.* [T2K], “Evidence of Electron Neutrino Appearance in a Muon Neutrino Beam,” Phys. Rev. D **88** (2013) no.3, 032002 doi:10.1103/PhysRevD.88.032002 [arXiv:1304.0841 [hep-ex]].
107. K. Abe *et al.* [T2K], “Measurement of the inclusive ν_μ charged current cross section on carbon in the near detector of the T2K experiment,” Phys. Rev. D **87** (2013) no.9, 092003 doi:10.1103/PhysRevD.87.092003 [arXiv:1302.4908 [hep-ex]].
108. B. A. Popov, “Hadron production experiments,” Nucl. Phys. B Proc. Suppl. **235-236** (2013), 135-142 doi:10.1016/j.nuclphysbps.2013.04.003 [arXiv:1212.1030 [hep-ex]].
109. K. Abe *et al.* [T2K], “T2K neutrino flux prediction,” Phys. Rev. D **87** (2013) no.1, 012001 doi:10.1103/PhysRevD.87.012001 [arXiv:1211.0469 [hep-ex]].
110. N. Abgrall *et al.* [NA61/SHINE], “Pion emission from the T2K replica target: method, results and application,” Nucl. Instrum. Meth. A **701** (2013), 99-114 doi:10.1016/j.nima.2012.10.079 [arXiv:1207.2114 [hep-ex]].
111. A. Stahl, C. Wiebusch, A. M. Guler, M. Kamiscioglu, R. Sever, A. U. Yilmazer, C. Gunes, D. Yilmaz, P. Del Amo Sanchez and D. Duchesneau, *et al.* “Expression of Interest for a very long baseline neutrino oscillation experiment (LBNO),” CERN-SPSC-2012-021.

112. K. Abe *et al.* [T2K], “First Muon-Neutrino Disappearance Study with an Off-Axis Beam,” Phys. Rev. D **85** (2012), 031103 doi:10.1103/PhysRevD.85.031103 [arXiv:1201.1386 [hep-ex]].
113. M. Rybczynski *et al.* [NA61/SHINE], “Energy dependence of identified hadron spectra and event-by-event fluctuations in p+p interactions from NA61/SHINE at the CERN SPS,” PoS **ConfinementX** (2012), 207 doi:10.22323/1.171.0207 [arXiv:1301.3360 [nucl-ex]].
114. N. Abgrall *et al.* [NA61/SHINE], “Measurement of Production Properties of Positively Charged Kaons in Proton-Carbon Interactions at 31 GeV/c,” Phys. Rev. C **85** (2012), 035210 doi:10.1103/PhysRevC.85.035210 [arXiv:1112.0150 [hep-ex]].
115. A. Blondel and B. Popov [NA61/SHINE], “NA61/SHINE: More precision for neutrino beams,” CERN Cour. **51N10** (2011), 41-42
116. K. Abe, N. Abgrall, Y. Ajima, H. Aihara, J. B. Albert, C. Andreopoulos, B. Andrieu, M. D. Anerella, S. Aoki and O. Araoka, *et al.* “Measurements of the T2K neutrino beam properties using the INGRID on-axis near detector,” Nucl. Instrum. Meth. A **694** (2012), 211-223 doi:10.1016/j.nima.2012.03.023 [arXiv:1111.3119 [physics.ins-det]].
117. C. T. Kullenberg *et al.* [NOMAD], “A search for single photon events in neutrino interactions,” Phys. Lett. B **706** (2012), 268-275 doi:10.1016/j.physletb.2011.11.049 [arXiv:1111.3713 [hep-ex]].
118. K. Abe *et al.* [T2K], “The T2K Experiment,” Nucl. Instrum. Meth. A **659** (2011), 106-135 doi:10.1016/j.nima.2011.06.067 [arXiv:1106.1238 [physics.ins-det]].
119. K. Abe *et al.* [T2K], “Indication of Electron Neutrino Appearance from an Accelerator-produced Off-axis Muon Neutrino Beam,” Phys. Rev. Lett. **107** (2011), 041801 doi:10.1103/PhysRevLett.107.041801 [arXiv:1106.2822 [hep-ex]].
120. B. A. Popov, “Results from hadroproduction experiments,” [arXiv:1106.4380 [hep-ex]]. Contribution to: Neutel2011, 259-270
121. N. Abgrall *et al.* [NA61/SHINE], “Measurements of Cross Sections and Charged Pion Spectra in Proton-Carbon Interactions at 31 GeV/c,” Phys. Rev. C **84** (2011), 034604 doi:10.1103/PhysRevC.84.034604 [arXiv:1102.0983 [hep-ex]].
122. N. Abgrall *et al.* [T2K ND280 TPC], “Time Projection Chambers for the T2K Near Detectors,” Nucl. Instrum. Meth. A **637** (2011), 25-46 doi:10.1016/j.nima.2011.02.036 [arXiv:1012.0865 [physics.ins-det]].

123. M. Apollonio *et al.* [HARP], “Measurements of Forward Proton Production with Incident Protons and Charged Pions on Nuclear Targets at the CERN Proton Synchrotron,” Phys. Rev. C **82** (2010), 045208 doi:10.1103/PhysRevC.82.045208 [arXiv:1006.1223 [hep-ex]].
124. B. A. Popov [HARP and NA61], “HARP and NA61 (SHINE) hadron production experiments,” AIP Conf. Proc. **1189** (2009) no.1, 97-104 doi:10.1063/1.3274196
125. C. T. Kullenberg *et al.* [NOMAD], “A Measurement of Coherent Neutral Pion Production in Neutrino Neutral Current Interactions in NOMAD,” Phys. Lett. B **682** (2009), 177-184 doi:10.1016/j.physletb.2009.10.083 [arXiv:0910.0062 [hep-ex]].
126. M. Apollonio *et al.* [HARP], “Comparison of large-angle production of charged pions with incident protons on cylindrical long and short targets,” Phys. Rev. C **80** (2009), 065204 doi:10.1103/PhysRevC.80.065204 [arXiv:0909.0337 [hep-ex]].
127. T. Anticic *et al.* [NA49 and NA61/SHINE], “Search for the QCD critical point at SPS energies,” PoS **EPS-HEP2009** (2009), 030 doi:10.22323/1.084.0030 [arXiv:0909.0485 [hep-ex]].
128. N. Abgrall *et al.* [NA61], “NA61/SHINE low energy program at SPS,” PoS **CPOD2009** (2009), 049 doi:10.22323/1.071.0049 [arXiv:0908.1697 [nucl-ex]].
129. M. Apollonio *et al.* [HARP], “Large-angle production of charged pions with incident pion beams on nuclear targets,” Phys. Rev. C **80** (2009), 065207 doi:10.1103/PhysRevC.80.065207 [arXiv:0907.1428 [hep-ex]].
130. M. Apollonio *et al.* [HARP], “Forward production of charged pions with incident protons on nuclear targets at the CERN PS,” Phys. Rev. C **80** (2009), 035208 doi:10.1103/PhysRevC.80.035208 [arXiv:0907.3857 [hep-ex]].
131. M. Apollonio *et al.* [HARP], “Forward production of charged pions with incident pi+- on nuclear targets measured at the CERN PS,” Nucl. Phys. A **821** (2009), 118-192 doi:10.1016/j.nuclphysa.2009.01.080 [arXiv:0902.2105 [hep-ex]].
132. V. Lyubushkin *et al.* [NOMAD], “A Study of quasi-elastic muon neutrino and antineutrino scattering in the NOMAD experiment,” Eur. Phys. J. C **63** (2009), 355-381 doi:10.1140/epjc/s10052-009-1113-0 [arXiv:0812.4543 [hep-ex]].
133. V. V. Lyubushkin and B. A. Popov, “A Study of Quasi-Elastic Muon (Anti)Neutrino Scattering in the NOMAD Experiment,” JINR-E1-2008-108.
134. N. Abgrall *et al.* [NA61], “Calibration and analysis of the 2007 data,” CERN-SPSC-2008-018.

135. M. G. Catanesi *et al.* [HARP], “Large-angle production of charged pions with 3-12.9-GeV/c incident protons on nuclear targets,” Phys. Rev. C **77** (2008), 055207 doi:10.1103/PhysRevC.77.055207 [arXiv:0805.2871 [hep-ex]].
136. N. Abgrall *et al.* [NA61/SHINE], “Report from the NA61/SHINE experiment at the CERN SPS,” CERN-OPEN-2008-012.
137. M. G. Catanesi *et al.* [HARP], “Measurement of the production cross-sections of π^\pm in p-C and π^\pm -C interactions at 12 GeV/c,” Astropart. Phys. **29** (2008), 257-281 doi:10.1016/j.astropartphys.2008.02.002 [arXiv:0802.0657 [astro-ph]].
138. M. G. Catanesi *et al.* [HARP], “Forward pi+/- production in p-O(2) and p-N(2) interactions at 12-GeV/c,” Astropart. Phys. **30** (2008), 124-132 doi:10.1016/j.astropartphys.2008.07.007 [arXiv:0807.1025 [hep-ex]].
139. M. G. Catanesi, E. Radicioni, R. Edgecock, M. Ellis, F. J. P. Soler, C. Gossling, S. Bunyatov, A. Krasnoperov, B. Popov and V. Serdiouk, *et al.* “Absolute momentum calibration of the HARP TPC,” JINST **3** (2008), P04007 doi:10.1088/1748-0221/3/04/P04007
140. Q. Wu *et al.* [NOMAD], “A Precise measurement of the muon neutrino-nucleon inclusive charged current cross-section off an isoscalar target in the energy range $2.5 < E(\nu) < 40$ -GeV by NOMAD,” Phys. Lett. B **660** (2008), 19-25 doi:10.1016/j.physletb.2007.12.027 [arXiv:0711.1183 [hep-ex]].
141. N. Abgrall *et al.* [NA61], “Report from the NA61/SHINE pilot run performed in October 2007. Addendum-3 to the proposal P330,” CERN-SPSC-2007-033.
142. A. Bandyopadhyay *et al.* [ISS Physics Working Group], “Physics at a future Neutrino Factory and super-beam facility,” Rept. Prog. Phys. **72** (2009), 106201 doi:10.1088/0034-4885/72/10/106201 [arXiv:0710.4947 [hep-ph]].
143. A. Laszlo *et al.* [NA61], “Na61/Shine at the CERN SPS,” PoS **CPOD07** (2007), 054 doi:10.22323/1.047.0054 [arXiv:0709.1867 [nucl-ex]].
144. M. G. Catanesi *et al.* [HARP], “Momentum scale in the HARP TPC,” [arXiv:0709.2806 [physics.ins-det]].
145. M. G. Catanesi *et al.* [HARP], “Large-angle production of charged pions by 3-GeV/c - 12.9-GeV/c protons on beryllium, aluminium and lead targets,” Eur. Phys. J. C **54** (2008), 37-60 doi:10.1140/epjc/s10052-007-0517-y [arXiv:0709.3458 [hep-ex]].
146. M. G. Catanesi *et al.* [HARP], “Large-angle production of charged pions by 3-GeV/c - 12-GeV/c protons on carbon, copper and tin targets,” Eur. Phys. J. C **53** (2008), 177-204 doi:10.1140/epjc/s10052-007-0475-4 [arXiv:0709.3464 [hep-ex]].

147. A. Artamonov, A. Blondel, M. Bogomilov, C. Booth, S. Borghi, M. G. Catanesi, A. Cervera-Villanueva, P. Chimenti, J. Dumarchez and U. Gastaldi, *et al.* “The Time Response of Glass Resistive Plate Chambers to Heavily Ionizing Particles,” *JINST* **2** (2007), P10004 doi:10.1088/1748-0221/2/10/P10004 [arXiv:0709.3756 [physics.ins-det]].
148. M. G. Catanesi *et al.* [HARP], “Measurement of the production of charged pions by protons on a tantalum target,” *Eur. Phys. J. C* **51** (2007), 787-824 doi:10.1140/epjc/s10052-007-0361-0 [arXiv:0706.1600 [hep-ex]].
149. N. Antoniou *et al.* [NA61], “Further information requested in the proposal review process,” CERN-SPSC-2007-019.
150. B. A. Popov [HARP], “Results from HARP and their implications for neutrino physics,” [arXiv:0705.3512 [hep-ex]]. Contribution to: 42nd Rencontres de Moriond on Electroweak Interactions and Unified Theories, 383-388
151. M. G. Catanesi, E. Radicioni, R. Edgecock, M. Ellis, S. Robbins, F. J. P. Soler, C. Gossling, S. Bunyatov, G. Chelkov and A. Chukanov, *et al.* “Particle identification algorithms for the HARP forward spectrometer,” *Nucl. Instrum. Meth. A* **572** (2007), 899-921 doi:10.1016/j.nima.2006.11.071
152. M. G. Catanesi *et al.* [HARP], “Measurement of the production cross-section of positive pions in the collision of 8.9-GeV/c protons on beryllium,” *Eur. Phys. J. C* **52** (2007), 29-53 doi:10.1140/epjc/s10052-007-0382-8 [arXiv:hep-ex/0702024 [hep-ex]].
153. M. G. Catanesi *et al.* [HARP], “The HARP detector at the CERN PS,” *Nucl. Instrum. Meth. A* **571** (2007), 527-561 doi:10.1016/j.nima.2006.08.132
154. O. Samoylov *et al.* [NOMAD], “Search for the exotic Theta+ resonance in the NOMAD experiment,” *Eur. Phys. J. C* **49** (2007), 499-510 doi:10.1140/epjc/s10052-006-0080-y [arXiv:hep-ex/0612063 [hep-ex]].
155. S. A. Bunyatov, A. V. Krasnoperov, Y. A. Nefedov, B. A. Popov, V. V. Tereshchenko, N. I. Bozhko, A. S. Vovenko, V. N. Goryachev, Y. I. Salomatin and V. A. Senko, *et al.* “Calibration of scintillation counters in the improved calorimeter of the IHEP-JINR Neutrino Detector for particle identification by time-of-flight measurements,” *Phys. Part. Nucl. Lett.* **4** (2007), 507-518 doi:10.1134/S1547477107060106
156. A. Chukanov *et al.* [NOMAD], “Production properties of $K^*(892)^{+-}$ vector mesons and their spin alignment as measured in the NOMAD experiment,” *Eur. Phys. J. C* **46** (2006), 69-79 doi:10.1140/EPJC/S2006-02500-4 [arXiv:hep-ex/0604050 [hep-ex]].

157. A. V. Chukanov, D. V. Naumov and B. A. Popov, “A multiple production study of neutral strange particles in nu/mu CC interactions in the NOMAD experiment,” Phys. Part. Nucl. Lett. **3** (2006), 296-304 doi:10.1134/S1547477106050049
158. V. V. Lyubushkin and B. A. Popov, “A study of quasielastic neutrino interactions nu/mu n → mu- p in the NOMAD experiment,” Phys. Atom. Nucl. **69** (2006), 1876-1882 doi:10.1134/S106377880611010X
159. M. G. Catanesi *et al.* [HARP], “Measurement of the production cross-section of positive pions in p-Al collisions at 12.9-GeV/c,” Nucl. Phys. B **732** (2006), 1-45 doi:10.1016/j.nuclphysb.2005.10.016 [arXiv:hep-ex/0510039 [hep-ex]].
160. D. Naumov *et al.* [NOMAD], “A Study of strange particles produced in neutrino neutral current interactions in the NOMAD experiment,” Nucl. Phys. B **700** (2004), 51-68 doi:10.1016/j.nuclphysb.2004.09.013 [arXiv:hep-ex/0409037 [hep-ex]].
161. P. Astier *et al.* [NOMAD], “Bose-Einstein correlations in charged current muon-neutrino interactions in the NOMAD experiment at CERN,” Nucl. Phys. B **686** (2004), 3-28 doi:10.1016/j.nuclphysb.2004.03.011 [arXiv:hep-ex/0404011 [hep-ex]].
162. B. A. Popov [NOMAD], “Final results on the search for nu/mu → nu/e oscillations in the NOMAD experiment,” Phys. Atom. Nucl. **67** (2004), 1942-1947 doi:10.1134/1.1825509
163. Y. A. Batusov, S. A. Bunyatov, V. Y. Valuev, O. L. Klimov, A. V. Krasnoperov, Y. A. Nefedov, B. A. Popov, V. I. Snyatkov, V. V. Tereshchenko and A. A. Borisov, *et al.* “Limits on the nu/e → nu/e neutrino oscillation parameters from an experiment at the IHEP-JINR neutrino detector,” Phys. Part. Nucl. Lett. **1** (2004), 192-196 JINR-P1-2003-194.
164. P. Astier *et al.* [NOMAD], “Prediction of neutrino fluxes in the NOMAD experiment,” Nucl. Instrum. Meth. A **515** (2003), 800-828 doi:10.1016/j.nima.2003.07.054 [arXiv:hep-ex/0306022 [hep-ex]].
165. P. Astier *et al.* [NOMAD], “Search for nu(mu) → nu(e) oscillations in the NOMAD experiment,” Phys. Lett. B **570** (2003), 19-31 doi:10.1016/j.physletb.2003.07.029 [arXiv:hep-ex/0306037 [hep-ex]].
166. L. S. Barabash, S. A. Baranov, Y. A. Batusov, S. A. Bunyatov, V. Y. Valuev, I. A. Golutvin, O. Y. Denisov, M. Y. Kazarinov, A. G. Karev and O. L. Klimov, *et al.* “The ‘IHEP-JINR Neutrino Detector’ at neutrino beams of the U-70 accelerator,” Instrum. Exp. Tech. **46** (2003) no.3, 300-326 doi:10.1023/A:1024406219896

167. P. Astier *et al.* [NOMAD], “New results on a search for a 33.9-MeV/c**2 neutral particle from pi+ decay in the NOMAD experiment,” Phys. Lett. B **527** (2002), 23-28 doi:10.1016/S0370-2693(01)01486-1
168. B. A. Popov [NOMAD], “Measurement of the Lambda and Antilambda polarization in nu/mu charged current interactions in the NOMAD experiment,” Czech. J. Phys. **52** (2002), C361-C371 doi:10.1023/A:1020543814491
169. P. Astier *et al.* [NOMAD], “A Study of strange particle production in muon-neutrino charged current interactions in the NOMAD experiment,” Nucl. Phys. B **621** (2002), 3-34 doi:10.1016/S0550-3213(01)00584-3 [arXiv:hep-ex/0111057 [hep-ex]].
170. P. Astier *et al.* [NOMAD], “Study of D*+ production in nu/mu charged current interactions in the NOMAD experiment,” Phys. Lett. B **526** (2002), 278-286 doi:10.1016/S0370-2693(01)01493-9
171. D. V. Naumov and B. A. Popov, “A study of strange particle production in nu/mu charged current interactions in the NOMAD experiment,” JINR-E1-2001-139.
172. P. Astier *et al.* [NOMAD], “Final NOMAD results on muon-neutrino → tau-neutrino and electron-neutrino → tau-neutrino oscillations including a new search for tau-neutrino appearance using hadronic tau decays,” Nucl. Phys. B **611** (2001), 3-39 doi:10.1016/S0550-3213(01)00339-X [arXiv:hep-ex/0106102 [hep-ex]].
173. M. G. Catanesi, M. T. Muciaccia, E. Radicioni, P. Righini, S. Simone, C. Gossling, A. Grossheim, M. Mass, K. Zuber and I. Boyko, *et al.* “Proposal to study helium induced hadron production for the atmospheric-neutrino flux,” CERN-SPSC-2001-016.
174. P. Astier *et al.* [NOMAD], “A Study of backward going p and pi in neutrino(muon) CC interactions with the NOMAD detector,” Nucl. Phys. B **609** (2001), 255-279 doi:10.1016/S0550-3213(01)00293-0 [arXiv:hep-ex/0105048 [hep-ex]].
175. M. Anfreville, P. Astier, M. Authier, A. Baldisseri, M. Banner, N. Besson, J. Bouchez, A. Castera, O. Cloue and J. Dumarchez, *et al.* “The Drift chambers of the NOMAD experiment,” Nucl. Instrum. Meth. A **481** (2002), 339-364 doi:10.1016/S0168-9002(01)01371-7 [arXiv:hep-ex/0104012 [hep-ex]].
176. S. I. Alekhin, V. B. Anykeyev, A. A. Borisov, N. I. Bozhko, S. K. Chernichenko, R. M. Fachruttinov, V. N. Goryachev, S. V. Goryachev, M. M. Kirsanov and A. I. Kononov, *et al.* “Determination of the high twist contribution to the structure function xF**nu N (3),” Phys. Lett. B **512** (2001), 25-29 doi:10.1016/S0370-2693(01)00692-X [arXiv:hep-ex/0104013 [hep-ex]].

177. P. Astier *et al.* [NOMAD], “Inclusive production of rho0(770), f(0)(980) and f(2)(1270) mesons in muon-neutrino charged current interactions,” Nucl. Phys. B **601** (2001), 3-23 doi:10.1016/S0550-3213(01)00054-2 [arXiv:hep-ex/0103017 [hep-ex]].
178. P. Astier *et al.* [NOMAD], “Measurement of the anti-Lambda polarization in muon-neutrino charged current interactions in the NOMAD experiment,” Nucl. Phys. B **605** (2001), 3-14 doi:10.1016/S0550-3213(01)00181-X [arXiv:hep-ex/0103047 [hep-ex]].
179. P. Astier *et al.* [NOMAD], “Search for heavy neutrinos mixing with tau neutrinos,” Phys. Lett. B **506** (2001), 27-38 doi:10.1016/S0370-2693(01)00362-8 [arXiv:hep-ex/0101041 [hep-ex]].
180. B. A. Popov [NOMAD], “Measurement of the Lambda hyperon polarization in nu/mu charged current interactions in the NOMAD experiment,” Nucl. Phys. A **692** (2001), 73-80 doi:10.1016/S0375-9474(01)01161-7
181. P. Astier *et al.* [NOMAD], “Measurement of the Lambda polarization in nu/mu charged current interactions in the NOMAD experiment,” Nucl. Phys. B **588** (2000), 3-36 doi:10.1016/S0550-3213(00)00503-4
182. P. Astier *et al.* [NOMAD], “Neutrino production of opposite sign dimuons in the NOMAD experiment,” Phys. Lett. B **486** (2000), 35-48 doi:10.1016/S0370-2693(00)00612-2
183. P. Astier *et al.* [NOMAD], “Search for eV (pseudo)scalar penetrating particles in the SPS neutrino beam,” Phys. Lett. B **479** (2000), 371-380 doi:10.1016/S0370-2693(00)00375-0
184. P. Astier *et al.* [NOMAD], “Updated results from the nu/tau appearance search in NOMAD,” Phys. Lett. B **483** (2000), 387-404 doi:10.1016/S0370-2693(00)00611-0
185. B. A. Popov [NOMAD], “Results from the NOMAD experiment,” Phys. Atom. Nucl. **63** (2000), 1111-1118 doi:10.1134/1.855755
186. P. Astier, A. Cardini, R. D. Cousins, A. Letessier-Selvon, B. A. Popov and T. Vinogradova, “Kalman filter track fits and track break point analysis,” Nucl. Instrum. Meth. A **450** (2000), 138-154 doi:10.1016/S0168-9002(00)00154-6 [arXiv:physics/9912034 [physics]].
187. P. Astier *et al.* [NOMAD], “Limit on nu/e → nu/tau oscillations from the NOMAD experiment,” Phys. Lett. B **471** (2000), 406-410 doi:10.1016/S0370-2693(99)01344-1

188. M. G. Catanesi, M. T. Muciaccia, E. Radicioni, P. Righini, S. Simone, I. Boyko, S. Bunyatov, G. Chelkov, D. Dedovich and P. Evtukhovich, *et al.* “Proposal to study hadron production for the neutrino factory and for the atmospheric neutrino flux,” CERN-SPSC-99-35.
189. V. B. Anikeev, A. A. Borisov, S. K. Chernichenko, V. N. Goryachev, M. M. Kirsanov, A. I. Kononov, A. S. Kozhin, V. I. Kravtsov, V. V. Lipaev and A. I. Mukhin, *et al.* “Measurement of F(2) and xF(3) structure functions in low Q^{**2} region with the IHEP-JINR neutrino detector,” Nucl. Phys. B Proc. Suppl. **79** (1999), 99-101 doi:10.1016/S0920-5632(99)00644-1 [arXiv:hep-ex/9908037 [hep-ex]].
190. A. V. Sidorov *et al.* [IHEP-JINR Neutrino Detector], “Measurement of xF(3) and F(2) structure functions in low Q^{**2} region with the IHEP-JINR neutrino detector,” Eur. Phys. J. C **10** (1999), 405-408 doi:10.1007/s100529900143 [arXiv:hep-ex/9905038 [hep-ex]].
191. P. Astier *et al.* [NOMAD], “A More sensitive search for neutrino(muon) —> neutrino(tau) oscillations in NOMAD,” Phys. Lett. B **453** (1999), 169-186 doi:10.1016/S0370-2693(99)00303-2
192. J. Altegoer *et al.* [NOMAD], “Precision measurement of scaled momentum, charge multiplicity and thrust in (muon)neutrino N and (muon)anti-neutrino interactions,” Phys. Lett. B **445** (1999), 439-448 doi:10.1016/S0370-2693(98)01477-4
193. B. A. Popov, “Search for $\nu_\mu \rightarrow \nu_\tau$ neutrino oscillations in the $\tau^- \rightarrow e^- \bar{\nu}_e \nu_\tau$ decay channel in the NOMAD experiment at CERN,” PhD thesis (12 May 1998)
194. J. Altegoer *et al.* [NOMAD], “A Search for neutrino(mu) —> neutrino(tau) oscillations using the NOMAD detector,” Phys. Lett. B **431** (1998), 219-236 doi:10.1016/S0370-2693(98)00521-8
195. J. Altegoer *et al.* [NOMAD], “Search for a new gauge boson in pi0 decays,” Phys. Lett. B **428** (1998), 197-205 doi:10.1016/S0370-2693(98)00402-X [arXiv:hep-ex/9804003 [hep-ex]].
196. A. S. Ayan *et al.* [TOSCA], “TOP: A Prototype for the TOSCA experiment,” CERN-SPSC-98-02.
197. J. Altegoer *et al.* [NOMAD], “The NOMAD experiment at the CERN SPS,” Nucl. Instrum. Meth. A **404** (1998), 96-128 doi:10.1016/S0168-9002(97)01079-6
198. A. S. Ayan, E. Pesen, M. Serin-Zeyrek, R. Sever, P. Tolun, M. T. Zeyrek, N. Armenise, F. Cassol, M. G. Catanesi and M. T. Muciaccia, *et al.* “A High sensitivity short baseline experiment to search for muon-neutrino —> tau-neutrino oscillation,” CERN-SPSC-97-05.

199. B. A. Popov [NOMAD], “First results from the NOMAD experiment at CERN (Search for nu/mu → nu/tau oscillations),” Contribution to: 32nd Rencontres de Moriond: Electroweak Interactions and Unified Theories, 283-289
200. L. S. Barabash *et al.* [IHEP-JINR Neutrino Detector], “Measurement of xF3, F2 structure functions and Gross-Llewellyn-Smith sum rule with IHEP-JINR neutrino detector,” [arXiv:hep-ex/9611012 [hep-ex]].
201. A. A. Borisov, S. K. Chernichenko, G. L. Chukin, V. N. Goryachev, M. M. Kirsanov, A. S. Kozhin, A. I. Kononov, V. I. Kravtsov, A. I. Mukhin and Y. I. Salomatin, *et al.* “The Search for inclusive electron-neutrino oscillations on the Serpukhov 70-GeV accelerator with the IHEP-JINR neutrino detector,” Phys. Lett. B **369** (1996), 39-45 doi:10.1016/0370-2693(95)01587-6
202. V. B. Anikeev, A. A. Borisov, N. I. Bozhko, S. K. Chernichenko, G. L. Shchukin, R. M. Fakhrutdinov, V. N. Goryachev, M. M. Kirsanov, A. I. Kononov and A. S. Kozhin, *et al.* “Study of neutrino and anti-neutrino charged current interactions in U70 wide band beams,” Contribution to: 3rd Tallinn Symposium on Neutrino Physics, 17-23
203. L. S. Barabash, S. A. Baranov, Y. A. Batusov, S. A. Bunyatov, V. Y. Valuev, O. Y. Denisov, M. Y. Kazarinov, A. G. Karev, O. L. Klimov and V. V. Lyukov, *et al.* “Search for the prompt muon anti-neutrino from charm particle decays at the IHEP-JINR neutrino detector in 70-Gev proton beam dump experiment,” Phys. Atom. Nucl. **57** (1994), 1974-1980 JINR-P1-93-327.
204. S. A. Baranov, Y. A. Batusov, A. A. Borisov, S. A. Bunyatov, V. Y. Valuev, A. S. Vovenko, V. N. Goryachev, M. M. Kirsanov, D. Kish and O. L. Klimov, *et al.* “Search for heavy neutrinos at the IHEP-JINR neutrino detector,” Phys. Lett. B **302** (1993), 336-340 doi:10.1016/0370-2693(93)90405-7
205. N. I. Bozhko, A. A. Borisov, A. P. Bugorsky, A. S. Vovenko, V. N. Goryachev, Y. A. Zudin, M. M. Kirsanov, A. S. Kozhin, V. I. Kravtsov and A. A. Kuznetsov, *et al.* “Search for prompt muon neutrinos in 70-GeV proton interactions with iron nuclei,” IFVE-92-110.
206. L. Barabash, S. Baranov, Y. Batusov, S. Bunyatov, O. Denisov, A. Karev, M. Kazarinov, O. Klimov, O. Kouznetsov and E. Ladygin, *et al.* “Mass limits on a light Higgs boson from pi-, K-, eta-prime meson decays in the 70-GeV proton beam dump experiment,” Phys. Lett. B **295** (1992), 154-158 doi:10.1016/0370-2693(92)90105-D
207. L. S. Barabash *et al.* [Dubna-Geneva-Protvino-Budapest-Zeuthen], “Limits on the mass of the light Higgs boson from decays of pi, K, and eta-prime mesons in a proton beam dump experiment,” Sov. J. Nucl. Phys. **55** (1992), 1810-1813