Contribution ID: 114

Type: Oral

Machine learning in the problem of extrapolation of no-core shell model results

Tuesday 2 July 2024 12:20 (20 minutes)

We modify the method of extrapolating the variational calculation results to the case of the infinite model space using machine learning of neural networks suggested in Ref. [1]. The main idea of the modified method is to train an ensemble of artificial neural networks using a preliminary selection of training data, a subsequent selection of the trained neural networks according to some criteria, and a statistical processing of the selected network predictions. We propose a new neural network topology with an appropriate set of learning parameters. The suggested modified method provides stable results, does not require a division of data into the training and test sets, ensures the convergence of predictions with increasing the learning data set by including the results from larger model spaces as well as a high statistical confidence of the final results.

We extrapolate results obtained within the no-core shell model [2] with NN interaction Daejeon16 [3] for ground state energies and root-mean-square radii of 6 Li, 6 He and 6 Be nuclei. We obtain the 6 Li ground state with the same accuracy but higher in energy than the predictions of Ref. [1]. However, our approach has a higher statistical confidence.

References

- 1. G. A. Negoita et al. // Phys. Rev. C. -2019. -Vol. 99. -054308.
- 2. B. R. Barrett, P. Navrátil, J. P. Vary // Prog. Part. Nucl. Phys. -2013. Vol. 69. P. 131.
- 3. A. M. Shirokov et al. // Phys. Lett. B -2016. Vol. 761. P. 87.

Section

Nuclear structure: theory and experiment

Primary author: SHARYPOV, Roman

Co-authors: MAZUR, Alexander (Pacific National University); SHIROKOV, Andrey (Moscow State University); SHIN, Ik J. (Institute for Basic Science, Daejeon, Republic of Korea)

Presenter: SHARYPOV, Roman

Session Classification: Nuclear structure: theory and experiment