Contribution ID: 1620

Type: Oral

## Small- $p_T$ production of $J/\psi$ mesons within Soft Gluon Resummation Approach

Wednesday 30 October 2024 16:45 (15 minutes)

Prompt heavy quarkonium production is well described within the collinear parton model in the next-toleading order of perturbaive QCD at kinematical region of  $p_T \gg M$  where M is a mass of a quarkonium state. But the region of small  $p_T$  is still being researched and the factorisation approach which is valid here is TMD-factorisation (transverse-momentum dependent). We studied  $J/\psi$  production in collision of protons at  $\sqrt{s} = 200, 27$  and 19.4 GeV. Certainly, we used Nonrelativistic QCD (NRQCD) as a standard hadronisation model for charmonium production, and we extracted nonperturbative matrix elements for octet color states of the NRQCD from a set of experimental data on prompt  $J/\psi$  production because color singlet model can't be considered as sufficient for experimental data description.

The TMD approach is a general factorisation model for  $p_T \ll M$  region [1]. One of the realisations of the TMD-factorisation is a so called Soft Gluon Resummation approach [2] where soft gluon emission by partons is considered, evolution of the TMD parton distribution functions is controlled by the Collins - Soper equations [3] though the TMD distribution is partly reduced to the collinear one. We perform our study at the LO+LL approximation for now. We describe data from PHENIX Collaboration at  $\sqrt{s} = 200$  GeV and from NA3 Collaboration at  $\sqrt{s} = 19.4$  GeV and do predictions for future SPD NICA experiments at  $\sqrt{s} = 27$  GeV. We considered both gluons and quarks as initial partons, we also estimated a contribution of *P*-wave charmonium production and calculated polarised  $J/\psi$  production as an angular coefficient  $\lambda$ . The Inverse-Error Weighting Scheme [4] is used as an approach for matching of collinear and TMD factorisations.

## References:

[1] J. C. Collins. Foundations of Perturbative QCD, Cambridge Univ. Press, Cambridge (2011).

[2] J. Bor and D. Boer. TMD evolution study of the  $\cos 2\phi$  azimuthal asymmetry in unpolarized  $J/\psi$  production at EIC, Phys. Rev. D 106, 1 (2022).

[3] J. C. Collins, D. E. Soper, and G. Sterman. Transverse momentum distribution in Drell-Yan pair and W and Z boson production, Nuclear Physics B 250 (1-4), 199–224 (1985).

[4] M. G. Echevarria, T. Kasemets, J.-P. Lansberg, C. Pisano, A. Signori. Matching factorization theorems with an inverse-error weighting, Phys. Lett. B 781, 161–168 (2018).

Primary authors: SHILYAEV, Kirill; Prof. SALEEV, Vladimir (Samara University)

Presenter: SHILYAEV, Kirill

Session Classification: Theoretical Physics

Track Classification: Theoretical Physics