

Defect Engineering in Bismuth Vanadate Photoanodes via Swift Heavy Ion Irradiation for Optimized Photoelectrochemical Performance

Monday 28 October 2024 15:35 (15 minutes)

Swift heavy ion (SHI) irradiation, using Xe ions with 150 MeV energy and varying fluences ($5 \times 10^9 - 5 \times 10^{11}$ ions cm^{-2}) is explored as a method to introduce defects in the hydrothermally synthesized monoclinic BiVO_4 (BVO) thin films, aiming to understand its impact on photoelectrochemical (PEC) performance for oxygen evolution reaction (OER). In the near surface region, the irradiation leads to the bismuth rich hillock formation and oxygen depleted ion tracks. 1-hour-long chronoamperometry measurements reveal photocurrent density increase of up to 58.6 % and 25.2 % for 5×10^9 and 1×10^{10} ions cm^{-2} irradiated samples while sample irradiated with the high fluences shows decrease in activity throughout the whole timeframe. This increase is accompanied by formation of ~150 nm deep and ~50 nm wide holes at the position of original ion tracks. Irradiation induces residual stresses while maintaining the monoclinic scheelite phase and [001] preferential orientation. Notably, high-fluence irradiation leads to amorphization, as confirmed by appearance of new Raman bands at 410 and 910 cm^{-1} . Band gap reduction with increasing fluence, from 2.41 ± 0.06 eV for non-irradiated down to 2.32 ± 0.05 eV for 5×10^{11} ions cm^{-2} irradiated BVO, indicates changes in the electronic structure. Overall, the study contributes to the fundamental understanding of SHI-induced modifications in BVO films and lays the foundations for further research aimed at enhancing their efficiency and durability in practical PEC applications.

This research was supported by the Science Fund of the Republic of Serbia, grant No. 6706, Low-dimensional nanomaterials for energy storage and sensing applications: Innovation through synergy of action - ASPIRE.

Primary author: JELIĆ, Marko (Vinča Institute of Nuclear Sciences)

Co-authors: Ms KORNEEVA, Ekaterina (FLNR of the Joint Institute for Nuclear Research, Dubna, Russia); Dr DANEU, Nina (Jozef Stefan Institute, Ljubljana, Slovenia); Dr O'CONNELL, Jacque (Nelson Mandela University, Port Elizabeth, South Africa); KIRILKIN, Nikita (FLNR of the Joint Institute for Nuclear Research, Dubna, Russia); Dr VERSHININA, Tatiana (FLNP of the Joint Institute of Nuclear Research, Dubna, Russia); Dr ORELOVICH, Oleg (FLNR of the Joint Institute for Nuclear Research, Dubna, Russia); Dr GUPTA, Suraj (Jozef Stefan Institute, Ljubljana, Slovenia); Prof. STOJKOVIĆ SIMATOVIĆ, Ivana (Faculty of Physical Chemistry, University of Belgrade, Belgrade, Serbia); Dr JOVANOVIĆ, Zoran (Vinca Institute of Nuclear Sciences); Prof. SKURATOV, Vladimir (FLNR of the Joint Institute for Nuclear Research, Dubna, Russia); Dr JOVANOVIĆ, Sonja (Vinca Institute of Nuclear Sciences)

Presenter: JELIĆ, Marko (Vinča Institute of Nuclear Sciences)

Session Classification: Applied Research

Track Classification: Applied Research