

Observation of a peak in the forward differential cross section of the $pp \rightarrow \{pp\} s \pi^0$ reaction at 1–3 GeV beam energies

At the ANKE-COSY facility, there is a program for studying the reactions with the formation of 1S0 diproton $\{pp\} s$ in the final state, which is achieved by selection of proton pairs with an excitation energy of less than 3 MeV. The peak with a peak at $T_p = 0.66$ GeV previously discovered on the ANKE is related to the excitation of the $\Delta(1232)$ isobar in the intermediate state; for the reaction $pp \rightarrow \{pp\} s \pi^0$, the previous measurements suggest that in the energy dependence of the differential cross section there must be a second peak in the energy region of the order of 2 GeV. In this connection, the report processed data from several sessions in the beam energy range 1-3 GeV, and the energy dependence of the differential reaction cross section $pp \rightarrow \{pp\} s \pi^0$ was obtained.

Primary author: Mrs КУНСАФИНА, Айнуp (Галымгазыкызы)

Co-authors: Mr TSIRKOV, Dmitry (JINR); KURMANALIYEV, Zhanibek (Joint Institute for Nuclear Reserch)

Presenter: Mrs КУНСАФИНА, Айнуp (Галымгазыкызы)

Track Classification: Experimental Nuclear Physics