

Current status of data center for cosmic rays based on KCDC

GRID-2018, Dubna


Victoria Tokareva, Dmitry Kostunin, Andreas Haungs | September 14, 2018
for the German-Russian Astroparticle Data Life Cycle Group

INSTITUTE FOR NUCLEAR PHYSICS (IKP)



Introduction:

The astroparticle physics data rate



- More than hundred years of cosmic particle measurements;
- Looking at the same sky with different eyes: different messengers, different detectors;
- Common data rate for astrophysical experiments all together is a few PBytes/yearly, which is comparable to the current LHC output*
- Big data for deep learning

Modern astroparticle experiments
data rate [Gbytes/day]*

*Berghöfer T., Agrafioti I. et al. Towards a model for computing in European astroparticle physics, Astroparticle Physics European Coordination committee, 2016

German-Russian Astroparticle Data Life Cycle Initiative*



Matrosov Institute
for System Dynamics
and Control Theory

KASCADE - Grande
Karlsruhe Shower Core and Array DEtector - Grande

* Granted by RSF-Helmholtz Joint Research Groups



- Proposed in 1989—disassembled in 2013;
- Aimed at studying high-energy (galactic) cosmic rays by observing extensive air showers (EAS);
- Consisted of:
 - scintillators detecting e , γ , μ :
 - KASCADE—256 stations;
 - GRANDE—37 stations;
 - Hadronic calorimeter;
 - Digital radio array LOPES detecting e , e^+ ;
- Important features of cosmic-ray spectrum have been obtained. The data analysis is ongoing;
- KCDC (**K**ASCADE **C**osmic Ray **D**ata **C**enter, <http://kcdc.ikp.kit.edu>) is a dedicated portal where all the data collected are available online.



- Started in the mid 90s, is still operating and continuously enhanced

Tunka-133



- 133 photomultipliers
- measures EAS Cherenkov light

Tunka-Rex



- 63 antennas
- measures EAS radio-emission

Tunka-HiSCORE



- 47×4 photomultipliers
- measures EAS Cherenkov light

Tunka-Grande




- 380 scintillators
0.64m² each
- measures e/μ from EAS

Tunka-IACT



- Imaging Air Cherenkov Telescopes
- is being extended

The project objectives



[†]Minh Duc Nguyen, *A distributed data warehouse system for astroparticle physics*, GRID2018 session 10

[‡]Yu. Kazarina, *Application of Hubzero platform for the educational process in astroparticle physics*, GRID2018 poster

Deep into KASCADE-Grande and Tunka data formats

Different

- Data format (depends on available detectors)
- Dedicated software for analyzing data
- Special system environment for the software

Common

- Metadata format (e.g. time, location, atmospheric conditions)
- Software for EAS simulation (e.g. CORSIKA)
- Shower parameters
- Theoretical models

Current state

- Separate APIs and UIs for different experiments

Our objective

- Unified API and UIs for different experiments

- The basic idea is to provide a central queue for all users and make all the distributed sites look like local ones;
- Starting from mid 90's are widely used in collider experiments (Dirac, PanDA);
- Dedicated for:
 - Unified usage of the distributed remote data and common data analysis;
 - Conceal various low-level software and provide unified high-level interface;
- Provide the common way to issue tasks to different types of the distributed sites;
- The same system for the data access, analysis and simulation.

What data do we work with?

- Data types:

- Raw detector readouts;
- Pre-analyzed events;
- Metadata


- Data structure:

- Different formats;
- Different messengers;
- Common metadata

Our approach:

- It is proposed to store unique event id and metadata in the unified database
- With growing data sizes, distributed storage for events could be useful

Proposed cosmic-ray metadata structure



- Software for data analysis depends on a particular experiment
 - Problem: It may even require dedicated system environment
 - ▶ **Solution: Virtualization**
- Data analysis requires huge amounts of input data
 - Problem: It is often more optimal to perform it on the same site the data are stored
 - ▶ **Solution: Job management**

Feature

Consequence

The software for EAS simulation (e.g. CORSIKA) does not depend on a particular experiment

⇒

Simulations require standardized system environment

Simulations require small amounts of input data

⇒

Simulations are easily scalable

Simulations can be done independently for different events


Simulations require a lot of computing resources

⇒

HPC sites are needed

Distributed computing could be useful

Distributed analysis and simulation scheme



- The KASCADE-Grande project has a data center called KCDC, that is planned to serve as the basis for the future common center for data access;
- The differences in the data formats were analyzed and solutions for organizing storage and distributed data processing were proposed;
- A scheme of a relational database for the future data center is designed using a metadata-based approach;
- The possibilities to apply the results of the project to educational and outreach activities are being explored.

The joint resource [astroparticle.online](https://www.astroparticle.online) is created to provide access to KASCADE-Grande and TAIGA data and metadata.

- The constantly growing amount of accumulated astroparticle data and the request for the multi-messenger astronomy and machine learning, enable us to develop a unified system for astroparticle data storage and processing;
- KASCADE-Grande is the only cosmic-ray experiment so far that has fully published its data and has a software infrastructure for data access and online analysis (KCDC);
- The peculiarities of data format and acquisition make it impossible to utilize 'from scratch' the solutions widely used in collider experiments;
- We are developing a new approach to the astroparticle data life cycle for combined analysis of the KASCADE-Grande and TAIGA data;
- The built-up infrastructure will be used to analyze combined data sets with large statistics, allowing to study galactic sources of high-energy γ -rays, which could be a notable step forward in multi-messenger astroparticle physics.

Thank you
for your attention!

The German-Russian Astroparticle Data Life Cycle collaboration I



TAIGA—Tunka Advanced Instrument for cosmic ray physics and Gamma Astronomy (see taiga-experiment.info);

KASCADE - Grande
Karlsruhe Shower Core and Array DEtector - Grande

KASCADE-Grande—Karlsruhe Shower Core and Array DEtector—Grande (see www-ik.fzk.de/KASCADE_home.html);



KIT-IKP—Institute for Nuclear Physics Karlsruhe Institute of Technology



SCC—Steinbuch Centre for Computing Karlsruhe Institute of Technology

The German-Russian Astroparticle Data Life Cycle collaboration II



SINP MSU—Skobeltsyn Institute Of Nuclear Physics
Lomonosov Moscow State University




ISU—Irkutsk State University



ISDCT—Matrosov Institute for System Dynamics and
Control Theory

- Berghöfer T., Agrafioti I. *et al.* Towards a model for computing in European astroparticle physics, Astroparticle Physics European Coordination committee, 2016,
web-source: <http://appec.org/wp-content/uploads/Documents/Docs-from-old-site/AModelForComputing-2.pdf>;
- KCDC—**K**ASCADE **C**osmic Ray **D**ata **C**enter,
web-source: <http://kcdc.ikp.kit.edu>;
- KASCADE-Grande official site,
web-source: http://www-ik.fzk.de/KASCADE_home.html;
- TAIGA collaboration official site,
web-source: <http://taiga-experiment.info>;
- Astroparticle.online—outreach resource,
web-source: <http://astroparticle.online>.



KCDC IT Structure

