

Kinematic reflections.

M.Zavertyaev

Mikhail.Zavertiaev@mpi-hd.mpg.de

March 3, 2025



Kinematic reflection in 2-body decay.

Particles:

$$\phi(1020) \rightarrow K^+ K^-.$$

$$K_{890} \rightarrow K^+ \pi^-.$$

$$\Lambda_{1520} \rightarrow p K^-.$$





$$\rho_{770} \rightarrow \pi^+ \pi^-.$$

$$\Delta_{1232} \rightarrow p \pi^-.$$


$$\Sigma_{1190}^- \rightarrow \pi^- n$$

$$\Xi_{13200}^- \rightarrow \pi^- \Lambda$$


$$\phi(1020) \rightarrow K^+ K^-.$$




$$\phi(1020) \rightarrow K^+ K^-.$$




$$K_{890} \rightarrow K^+ \pi^-.$$




$$\Lambda_{1520} \rightarrow pK^-.$$




$$\rho_{770} \rightarrow \pi^+ \pi^-.$$



$$\Delta_{1232} \rightarrow p\pi^-.$$







$$\Sigma_{1190}^- \rightarrow \pi^- n,$$
$$\Xi_{13200}^- \rightarrow \pi^- \Lambda.$$



$$\Sigma_{1190}^- \rightarrow \pi^- n,$$

$$\Xi_{1320}^- \rightarrow \pi^- \Lambda.$$







BackUp .








BackUp





$$\phi(1020) \rightarrow K^+ K^-.$$








$$K_{890} \rightarrow K^+ \pi^-.$$



$\Lambda_{1520} \rightarrow pK^-$.



$$\rho_{770} \rightarrow \pi^+ \pi^-.$$



$$\Delta_{1232} \rightarrow p\pi^-.$$

